

XS4 One S – Euro

XS4 One S is a compact yet powerful universal electronic locking solution. It redefines modern access control with a contemporary square design and sleek reader surfaces, accompanied by an elegant finish. The Salto XS4 One S is built to fit most European profile doors and mortise lock standards. Its modern design provides a secure electronic locking platform without the need for conventional wired access points. Boasting a simple installation process and retrofit design, its broad range of models and functions allows you to replace your existing door hardware with ease.




características

- Wireless and easy-to-install electronic smart lock with a high-quality stainless steel body designed to fit any door.
- Sleek proximity reader that features best-in-class door access control, offering multiple unlocking access methods for users.
 - Physical smart RFID credential – SVN
 - Digital key – NFC / Bluetooth LE: Secure and convenient mobile credentials
 - Apple Wallet
- Dual green/red colour outputs to indicate authorisation.
- Función de cerradura de privacidad mecánica y electrónica.
- A lock that can always be opened from the inside (the single-action panic feature works in conjunction with the relevant mortise lock).
- Una sólida protección antitaladro, que garantiza seguridad total contra posibles robos.
- Tornillos ocultos para mayor seguridad y mejora de estética.
- Available in a range of seven elegant finishes.
- Las manillas estándar de Salto están disponibles para adaptarse a cualquier requisito de proyecto.
- Complementary escutcheons (without reader) available to maintain the aesthetics of other doors that do not require controlled access.

Características técnicas

- Housing dimensions: 285 x 42 x 20 mm.-
- Door thickness: 32-120mm.
- Power source: 3 AAA batteries.
- Reversible handle with left or right escutcheon.
- Clutch mechanism escutcheon; handle moves freely when unlocked.
- Handle rotation: 33°
- Mechanical key and override option. Compatible with European profile and Swiss profile cylinders, with audit trail facility also available.
- Square spindles available: 7mm, 7.6mm split (Australia), 8mm, 8mm split (Euro & ANSI), 9mm and 9mm split.
- IP55 suitable for both indoor and outdoor use.

Dibujo técnico



Plataformas tecnológicas



Salto Space



–Red local



Salto KS




–aplicación en la nube



Salto Homelok



–aplicación en la nube

certificaciones**Descargo de responsabilidad:**

Para una descripción completa de la gama de productos, la verificación de la disponibilidad y la viabilidad técnica del producto seleccionado y una oferta comercial, póngase en contacto con el distribuidor local autorizado de Salto o con una oficina de Salto.

Salto Systems se reserva el derecho de modificar el producto y sus componentes.

La información técnica y las imágenes mostradas en la página del producto Salto Systems tienen únicamente fines informativos y están diseñadas para informar sobre las principales características, opciones y especificaciones técnicas del producto. Por lo tanto, todas las imágenes, ilustraciones, formas, características, especificaciones, tamaños, datos, descripciones y colores mostrados en la página de Salto Systems tendrán el carácter de indicaciones aproximadas y sin compromiso.