


curated collections






**Item no.:**  
14181602016

**Description:**  
Lever handle 19U, snap on cover, 8x8mm,  
CC30/38mm, 33-59mm  
Satin stainless steel AISI 316

**Collection:**  
Arne Jacobsen



**d line**

Often 



finishing



touches,




( ) an

afterthought

the



never







| Content |                                   |
|---------|-----------------------------------|
| 06      | Purpose                           |
| 08      | About d line                      |
| 16      | Enduring design                   |
| 19      | Enduring strength                 |
| 20      | Sustainability                    |
| 22      | Production                        |
| 24      | Craftsmanship                     |
| 26      | Sourcing                          |
| 28      | Our services                      |
| 30      | BIM – d line to download          |
| 31      | Colours and finishes              |
| 36      | d line collections                |
| 38      | Qtoo collection                   |
| 42      | For washbasin                     |
| 50      | For shower and bathtub            |
| 64      | Knud Holscher collection          |
| 69      | Sanitary ware                     |
| 72      | Bathroom accessories              |
| 78      | Dispensers and waste bins         |
| 82      | Soap dispensers                   |
| 84      | Hand dryers                       |
| 86      | Barrier-free                      |
| 90      | Sanitary panels                   |
| 101     | Hardware                          |
| 104     | Lever handles and accessories     |
| 118     | Roses and escutcheons             |
| 128     | Thumb turns and toilet indicators |
| 136     | Pulls and accessories             |
| 148     | Knob handles                      |
| 152     | Back plates                       |
| 156     | Locks and hinges                  |
| 162     | Door closers                      |
| 164     | Panic exit devices                |
| 166     | Door stops                        |
| 172     | Window handles and accessories    |
| 176     | Tools and fixing accessories      |
| 186     | Arne Jacobsen collection          |
| 190     | Hardware                          |
| 204     | Tom Dixon collection              |
| 210     | Hardware                          |
| 220     | Maintenance guide                 |
| 222     | Where to find us                  |

**Published by:** d line A/S, Roskildevej 22, 2620 Albertslund, Denmark, [dline.com](http://dline.com) / **Graphic design:** Studio C / **Typography:** Neue Haas Grotesk / **Photography:** Yellows, Norm Architects, MTJ studio, Frederik Lindstrøm, Julien Chamoux, Detail Studio, Tom Dixon / **Printing:** Clemenstrykkeriet

| Projects |                          |
|----------|--------------------------|
| 10       | St. Catherine's College  |
| 32       | Charlottetårnet          |
| 58       | Private residence        |
| 94       | Grace Farms              |
| 180      | Cambridge Central Mosque |
| 198      | SAS Royal Hotel          |
| 216      | Brudey Sneakers Family   |

# Our purpose:



**We challenge  
you to make the  
sustainable,  
highly enduring  
choice.**





d line is a leading Danish design brand that conceives and hand crafts enduring architectural hardware, sanitary ware and solutions for barrier-free living.



that  
endures

# Design

d line — About dline

## About d line

Since we began, we have believed that the best ideas respond to a need. This started in the 1960s when the Danish designer Knud Holscher was working under Arne Jacobsen on St. Catherine's College, Oxford. It was his need for a high-quality, coordinated line of stainless steel architectural products that led him to design one.

In 1971, those first products were launched as d line and included two lever handles – the Ø14mm U and L – whose perfect harmony came from sharply bent sections that maintained the radius of their cross sections. Since then, in new categories and through new design collaborations, we have continued to create enduring products. Since then we have also endeavoured to push beyond the boundaries of what we know in order to master what we don't, so that we can answer new, evolving needs.

As a result, the architects who choose our products do so because they are a simple, reliable, innovative, total solution to Holscher's original problem with St Catherine's College: a perfect toolkit of pieces for rooms that are effortlessly balanced in their practical details. To the spaces they occupy, they bring a sense of unity – they are often the finishing touches, yet they are never an afterthought.

d line: design that endures

Project:



**Architect**  
Arne Jacobsen

**Location**  
Oxford,  
United Kingdom

**Year**  
1962

**Amenities**  
Lecture theatres  
Dining hall  
Library  
Music house  
Seminar rooms

St. Catherine’s  
College  
Charlottetårnet  
Private residence  
Grace Farms  
Cambridge Central  
Mosque  
SAS Royal Hotel  
Brudey Sneakers  
Family



# Project:



# St. Catherine's College



After only two years at the studio of Arne Jacobsen, Knud Holscher was put in charge of St. Catherine's College. A project that would have a major impact on his career.



you think I find best" and so I did. And from then on we had a lot of dialogues that meant a great deal to me and to him" – Knud Holscher. Situated in the eastern part of Oxford, the modernist buildings feature repetitive schemes of windows broken up by concrete columns and floor-to-ceiling glass panels, combining modern materials such as brick, concrete, glass and metals. Stretched out in the landscape, the gardens surrounding the college grounds is an integral part of the architecture. The bell tower of the college stands tall above the low architecture of the campus, making it particularly visible.

St. Catherine's is one of the constituent colleges of the University of Oxford. Its minimal glass and concrete structure look just as beautiful today as it did at its opening in 1962. Jacobsen had a concrete wall in his backyard to which he referred when working on St. Catherine's: "This is what it should look like – smooth and slightly glossy".

"I remember having a conversation with Arne Jacobsen that turned things around in how we worked together. "draw what you find to be the best solution, and not what

Everything was designed by Jacobsen. The chairs (the Swann, the model 3107, the high-back Oxford chairs) as well as lamps, cutlery, clocks. Even hooks and lever handles. However, Holscher struggled to find the latter. Going through stacks of brochures in search of the right solution, Holscher wondered why it seemed impossible to find a company that made a collection – a system – of architectural hardware in the same material and finish. That was the beginning of d line and what catapulted him into his successful career as an industrial designer.



Project:



Concrete, brick, glass – the juxtaposition of details and texture at St. Catherine’s College, Oxford.



# Enduring design

That which is simple never goes out of style and that of uncompromising quality never needs to be bought for a purpose more than once.

Our approach to design is strong and pure. d line is designed by architects to meet architects' needs, so every solution that's been produced by us is meticulous in form, function, feel and construction, streamlined and without fuss, yet with a smooth tactility that asks to be handled.

Despite our products' timelessness, d line continues to innovate across design, engineering and technology towards new hardware, sanitary ware and barrier-free solutions that apply the same strong, pure design thinking that was behind Holscher's first two lever handles. In this way, each product in the d line range is a refinement and an evolution of those before it, while each brings something new to our ever-expanding collection.

d line — Enduring design





Everything stems from our first designs and the bend in the handle. Remaining true to our roots, we continue the d line curved iconography through our designs for everything, from handles to hooks, door pulls to paper dispensers.



d line ——— Enduring strength

# Enduring strength

Both internally and externally, every detail of every d line piece is rigorously tested for seamless functioning so that it endures. Then, assisted by the most cutting-edge machinery in our field, each is expertly crafted by hand. From the curve of a handle, to the locking mechanism in our sanitary panel system, to the 21 ball bearings that roll against each other behind our lever roses, we have always seen every component of every design as having equal importance in the creation of the whole.

This is why d line is known for being resistant to wear and tear – for never needing to be bought for a purpose more than once.

It's why architects who value sustainability repeatedly design them into their spaces. Because every click, catch, housing, panel and screw has been designed and tested to the highest technical standards – to be used, turned, touched, pulled, pushed, pressed, flipped and hung from, forever.





We place enormous value on our products' reputation for standing the test of time, because we believe that anything that's less than superb in its design and craftsmanship is simply a waste – not just of money but also of resources.

# Sustainability

For too long people have unthinkingly bought things that can be thrown away or replaced. Now as conscious consumption becomes necessary, sustainability is an essential consideration in the way we live and the things we buy.

Long before sustainability became an issue of concern, d line made a promise that we would create things that are timeless in their design and enduring in their strength, so that they wouldn't need to be bought for a purpose more than once.

That promise was based on an ethos of designing every tiny detail to work seamlessly towards a perfect whole. It was based on unfussy, minimalist design that would never date. And it was based on the use of raw, resilient, acid-proof, non-corrosive AISI 316, as the strongest, most hard wearing steel for these types of purposes. Furthermore, in the production of stainless steel no chemicals are used, nor any contaminating surface treatments.

Today that commitment to sustainability exists as a 20-year guarantee on our products (with the exception of electronic).

This commitment extends to responsible sourcing of our steel, to low-emission hand assembly and to a lean factory that never produces more than what is needed. The original d line promise continues to be carried through all that we do, just as it has been for over 50 years.

## Our sustainability goals

We think that sustainability is a living thing, so we constantly strive to innovate across design, engineering and technology, seeing our offerings not so much as final results but as continuing evolutions.

By the middle of 2023 we are committed to the following goals in d line:

- EPD certifications and life-cycle assessments (LCA) on our top products.
- ISO 14001 certified production facilities.
- Increase our efforts within sustainable packaging and raw material.

We own our factory and are proud to control our production process, because it means we can maintain a tight focus and a productive attitude towards efficiency, quality and the endurance of our products



# Production

## The human touch

Instead of relying on automated machines or computers, our products are made by people, meaning we can flex to meet any situation or requirement.

Our factory has many stations where tasks are carried out by hand using specialist machines, and where each product receives the specific attention it needs. To avoid scratching, for example, a mirror-polished lever will be carefully wrapped before being transported to the next station.

This human aspect of our production is in everything; from the way we craft different sizes of the same product completely differently, to the handling and double-checking of every item many times. Each piece is examined for perfection at every

point along its hand production, as well as being extensively inspected at the final step of its assembly. In this way, quality control of everything we make is the responsibility of everyone involved in the making.

## The LEAN approach

We want our production to be swift and lean, because we know the value of short lead times – yet we're mindful always of achieving precision as well as speed, because we never want to make mistakes.

Being lean in our production is also about minimising waste and consumption, because our credentials in sustainability are incredibly important to us. Overall, our approach is one of constant tweaking in order to achieve and maintain the perfect balance between all these aspects.





Though many d line products can be classed as industrial in both their design and their look, none of them are industrially made. They are hand crafted in our factory by our dedicated specialists.



# Craftsmanship

Tube cutting, welding, bending, grinding, polishing, assembly and packing – all of these stages of our production are undertaken by people, with the help of specialized machines, and each is carried out by one person before being passed on to the next.

These tasks are truly specialized. To achieve each tiny detail in a d line product, for example, special stamping and cutting tools have been developed just to create that single element. Meanwhile, to execute the grinding and polishing that results in our signature d line satin finish, a product is gently held by hand against a spinning wheel at specific angles and with equal pressure applied to every millimetre of the whole. This is carried out as four different steps before the product is wrapped for transportation to the next station.

Labour-intensive processes such as these are critical for the achievement of precision and perfection. We think they're worth it because the resulting products are truly enduring.

After our pieces are carefully crafted, they are packed and shipped in cardboard boxes made from recycled and recyclable cardboard. We purchase our boxes locally, not only from a subsidiarity principle to avoid unnecessary transport, but also to support our local communities and businesses.



How d line acquires our steel has been carefully thought through, from sourcing to processing, right through to scraps.

# Sourcing, processing and recycling

We purchase our steel locally, because it conforms with our high quality standards and is in close proximity to our production facility.

We buy only steel for the need we have, and keep just enough in reserve to react quickly if an urgent order comes in. This is not only because we don't want to be responsible for mining and producing steel that's not needed, it's also to avoid the emissions that powering a large-scale storage facility demands.

We also don't want our production failures to account for waste, so our waste minimisation goals include a keen focus on getting our production absolutely perfect each time.

This focus means that these types of scraps only account for about 0.3 per cent of our entire production – and we're working to reduce even this small number all the time. When we have used the steel for the purpose we bought it for, we ensure nothing is thrown away. All our metal scraps are carefully sorted and 100 per cent recycled, as a way to repurpose, reuse and avoid unnecessary waste.



# Our services

We offer services  
such as:

**Project consultation.**  
**Scheduling.**  
**On site representation.**  
**CPD's.**  
**Lunch and Learns.**  
**UK/EU specifications.**  
**Budget controlling.**  
**20-year product guarantee.**  
**Samples upon request.**

All our products are tested and certified to the  
latest industry standards including:

**EN 1906** lever handles / **EN 1634** comprehensive  
fire test / **DIN 18273** fire test f/ levers /  
**EN 1125** panic exit devices / **EN 179** panic exit  
devices / **EN12182** barrier-free / **EN12209** locks /  
**BS:EN** standards Certifire & CE marking /  
**Wras reg4** taps and showers / **ASME A112.18.1** taps  
and showers / **NSF/ANSI 61** taps and showers /  
**CSA B125.1** taps and showers / **WaterMark** taps  
and showers / **WELS** taps and showers /  
**SINTEF** taps and showers

# BIM – d line to download

Greater collaboration, informed decision-making, easier project management and faster construction



The benefits of Building Information Modelling (BIM) are many, which is why we've invested in this innovative technology to make the top 300 d line products available for architects to download.

Accessible via our website as .dwg, .ifc and .rfa files ready to insert into drawings created in programmes such as Revit or ARCHICAD, these BIM files provide designers with up-to-date, technically relevant information, all at a click.


Links to each product's downloadable BIM file are found under the 'item details' of a product page's 'product information' section. When a BIM file is downloaded and placed, the corresponding product – complete with item number – can be specified for entire builds right from the drawing.

The result? Seamlessly created product lists without the need for cross-referencing, all of which eases communication with on-site teams.

All products in this catalogue marked with the BIM icon, will have a downloadable BIM-object available on dline.com.

Some of our objects have also gone live on the NBS National BIM Library. Visit thenbs.com.

# Colours and finishes




Stainless steel




Brass



PVD charcoal



PVD brass



PVD copper

**Solid metals**  
AISI 316 stainless steel and brass have long been our metals of choice, because they never date and meet our exacting quality standards. Grinding and polishing are what create our signature d line satin finish. For our method, a product is gently held by hand against a spinning wheel at specific angles, and with equal pressure applied to every millimetre of the whole. This is carried out as four different steps.

Choose between steel and brass in either satin or polished finish. For items not available in solid brass, we recommend PVD brass.

**PVD finishes**  
Physical vapour deposition (PVD) creates an extremely high-quality, high-durability finish when applied to stainless steel. With it we can now create our pieces in a brushed satin or a polished finish, in Copper, Charcoal and Brass. This treatment allows for our

AISI 316 stainless steel to take on a new metallic hue, while staying resistant to the humidity and cleaning materials typical to bathrooms. Besides our 20-year product guarantee, we offer a 5-year guarantee on the PVD finish.

**Included in our portfolio are also modern palettes of pure, matt silk powder coated RAL colours. To explore all our colours or to find specific colour item numbers, please visit dline.com.**

# Project:



**Architect**  
Lundgaard & Tranberg

**Location**  
Copenhagen,  
Denmark

**Year**  
2019

**Amenities**  
Hotel apartments  
Fitness room  
Swimming pool  
Conference facilities  
Restaurant  
Courtyard

St. Catherine's  
College  
Charlottetårnet  
Private residence  
Grace Farms  
Cambridge Central  
Mosque  
SAS Royal Hotel  
Brudey Sneakers  
Family



# Project:



Dark finishes such as this are more traditionally used in partnership with deep wall colours or rich, muted woods such as smoked oak. But as the bathrooms at Charlottetårnet show, when set within a soft, light palette, they become sharp, elegant accents.



In the first phase of their plans for Charlottehaven (or Charlotte Garden) a 178-rental-apartment development on Strandboulevarden in Østerbro, Copenhagen – Lundgaard & Tranberg Architects exhibited great deftness in their treatment of both light and shadow, and texture and detail. So, it was natural that these interplays should continue into the project's second phase: 37 furnished hotel apartments known as Charlottetårnet (or Charlotte Tower).

A perfect example of these two interplays is seen in the hotel's light-yet-warm bathrooms, which are characterised by creamy-hued floor-to-ceiling terrazzo surfaces punctuated by d line sanitary pieces in PVD Charcoal. PVD was considered a perfect finish for the pieces destined for Charlottetårnet – where rooms are repeat-

edly turned over to welcome new guests – because of its resistance to the harsh, abrasive chemicals required to optimise bathroom hygiene.

Indeed, Lundgaard & Tranberg Architects considered it to be so effective that, having originally specified a toilet brush, toilet roll holder and towel rails in this dark, resilient expression, they returned to order d line 16L Lever handles in PVD Charcoal to match. The levers have been integrated into a smart system by VinCard known as 'Essense', so that hotel guests can access their rooms via a digital access key on their smartphone or watch.

# Charlottetårnet



Collections


Qtoo  
Knud Holscher  
Arne Jacobsen  
Tom Dixon



P. 42 For sink  
P. 50 For shower and  
bathtub

The Qtoo Collection was launched in 2020, to further leverage d line's ability to achieve complete cohesion within architect-designed spaces. The collection brings to the market 100% recyclable stainless steel taps and shower fixtures, which share our precision-designed, minimalist aesthetic.

# Qtoo collection





Qtoo makes use of marine-quality, non-corrosive AISI 316 stainless steel favoured by d line, utilising steel for both its internal and external parts.

# Precision, minimalistic and innovative

Created through an established collaboration with Danish design studio Hans Thyge & Co., each Qtoo piece blends a simple silhouette with innovative ideas, balancing soft, feminine shapes with perfectly composed geometric lines.

The Qtoo pieces are available in brushed and polished stainless steel, as well as matt black, brass, copper and charcoal. With these same finishes applicable to our sanitary ware by Knud Holscher, this means a more comprehensive range across the d line bathroom category.

#### **Sustainable thinking**

All materials within a Qtoo product are 100% recyclable. Stainless steel is favoured because the amount of heavy metals are also much lower in stainless steel, when compared to normal chrome products. Simultaneously, in the production of stainless steel no chemicals are used, nor any contaminating surface treatments.

The Qtoo products further utilizes integrated air mixers as standard to reduce water consumption. The products are CSA certified and conform to California Code, which mean that our products live up to strict water saving standards.

#### **Healthy drinking**

Qtoo products also prioritise health, promising extraordinarily clean water from every tap, each of which is lead-free, allergy-friendly and GDV- and NSF/ANSI61-certified, to ensure lower levels of heavy metals in water. Each also comes with a 20-year guarantee and is leakage-tested at 15 bar.

**QS3200-340WM**  
Built-in two-way shower set in  
satin stainless steel.

Curated collections


# For washbasin

Whether counter- or wall-mounted, the Qtoo Collection washbasin taps are all about balanced proportions. Each minimalist tap is operated with a single lever that moves softly to turn the water on, and manoeuvres just as seamlessly to adjust temperature or flow.

As with any Qtoo wall mounted piece, our taps come with pioneering multi-adjustable built-in units for safe and easy installation.


Staying true to the Qtoo sustainability principles, all stainless steel parts are 100% recyclable and comes with a 20-year guarantee.

## Single lever tap




|  |  |                              |
|--|--|------------------------------|
| <b>Item no.:</b><br>QT1150M<br>QT1150P | <b>Description:</b><br>F/counter top, satin stainless steel<br>F/counter top, polished stainless steel | <b>Unit:</b><br>1pcs<br>1pcs |
|--|--|------------------------------|

## Tall single lever tap




|  |  |                              |
|--|--|------------------------------|
| <b>Item no.:</b><br>QT1200M<br>QT1200P | <b>Description:</b><br>F/counter top, w/ swivel spout, satin stainless steel<br>F/counter top, w/ swivel spout, polished stainless steel | <b>Unit:</b><br>1pcs<br>1pcs |
|--|--|------------------------------|

## Kitchen tap




|  |   |                              |
|--|---|------------------------------|
| <b>Item no.:</b><br>QT2100M<br>QT2100P | <b>Description:</b><br>F/counter top, w/swivel spout, satin stainless steel<br>F/counter top, w/ swivel spout, polished stainless steel | <b>Unit:</b><br>1pcs<br>1pcs |
|--|---|------------------------------|

## Built-in tap, 190mm spout – complete set



|  |  |                              |
|--|--|------------------------------|
| <b>Item no.:</b><br>QT3100-190SM<br>QT3100-190SP | <b>Description:</b><br>Ø80mm rose, wall mounted incl. built-in part, satin stainless steel<br>Ø80mm rose, wall mounted incl. built-in part, polished stainless steel | <b>Unit:</b><br>1set<br>1set |
|--|--|------------------------------|

Built-in tap, 250mm spout – complete set





**Item no.:**  
QT3100-250SM  
QT3100-250SP

**Description:**  
Ø80mm rose, wall mounted incl built-in part, satin stainless steel  
Ø80mm rose, wall mounted incl built-in part, polished stainless steel

**Unit:**  
1set  
1set

Built-in mixer w/1/2" connector





**Item no.:**  
QT3100

**Description:**  
Built-in part only, f/spout or wall outlet for hand shower

**Unit:**  
1pcs

Control f/wall mounted mixer





**Item no.:**  
QA2180M  
QA2180P

**Description:**  
Ø80mm rose, satin stainless steel  
Ø80mm rose, polished stainless steel

**Unit:**  
1pcs  
1pcs

Barrier-Free pin




**Item no.:**  
QR0090M  
QR0090P

**Description:**  
F/mixers & counter top taps, 90mm, satin stainless steel  
F/mixers & counter top taps, 90mm, Polished stainless steel

**Unit:**  
1pcs  
1pcs

Spout, 115mm




**Item no.:**  
QA3080M  
QA3080P

**Description:**  
Ø80mm rose, satin stainless steel  
Ø80mm rose, polished stainless steel

**Unit:**  
1pcs  
1pcs

Spout, 190mm




**Item no.:**  
QA3180M  
QA3180P

**Description:**  
Ø80mm rose, satin stainless steel  
Ø80mm rose, polished stainless steel

**Unit:**  
1pcs  
1pcs

Spout, 191mm




**Item no.:**  
QA3380M  
QA3380P

**Description:**  
Ø80mm rose, satin stainless steel  
Ø80mm rose, polished stainless steel

**Unit:**  
1pcs  
1pcs

Spout, 250mm




**Item no.:**  
QA3280M  
QA3280P

**Description:**  
Ø80mm rose, satin stainless steel  
Ø80mm rose, polished stainless steel

**Unit:**  
1pcs  
1pcs



Built-in sensor tap, 190mm spout




**Item no.:**  
QST3190M  
QST3190P

**Description:**  
Ø90mm rose, wall mounted, satin stainless steel  
Ø90mm rose, wall mounted, polished stainless steel

**Unit:**  
1set  
1set

Built-in sensor tap, 250mm spout




**Item no.:**  
QST3290M  
QST3290P

**Description:**  
Ø90mm rose, wall mounted, satin stainless steel  
Ø90mm rose, wall mounted, polished stainless steel

**Unit:**  
1set  
1set

Sensor tap




**Item no.:**  
QST1150M  
QST1150P

**Description:**  
F/counter top, satin stainless steel  
F/counter top, polished stainless steel

**Unit:**  
1pcs  
1pcs

Premix flexbox f/sensor tap





**Item no.:**  
QSF01

**Description:**  
F/ 220 volt / 6 AA batteries

**Unit:**  
1pcs

Built-in part 1/2" f/spout, wall outlet & shower arm




**Item no.:**  
QS3400

**Description:**  
69x126mm,  
stainless steel

**Unit:**  
1pcs

Waste push-open




**Item no.:**  
QA1100M  
QA1100P

**Description:**  
Satin chrome finish  
Chrome finish

**Unit:**  
1pcs  
1pcs

Waste fixed-open




**Item no.:**  
QA1200M  
QA1200P

**Description:**  
Satin chrome finish  
Chrome finish

**Unit:**  
1pcs  
1pcs

Easy-clean waste push-open




**Item no.:**  
QA1150M  
QA1150P

**Description:**  
Satin stainless steel  
Polished stainless steel

**Unit:**  
1pcs  
1pcs

Easy-clean waste fixed-open




**Item no.:**  
QA1250M  
QA1250P

**Description:**  
Satin stainless steel  
Polished stainless steel

**Unit:**  
1pcs  
1pcs

Siphon



**Item no.:**  
QA1400M  
QA1400P

**Description:**  
Satin chrome finish  
Chrome finish

**Unit:**  
1pcs  
1pcs



**QST3290M Built-in sensor tap in PVD Charcoal**  
Realised in AISI 316 stainless steel, these are already-loved pieces from our Qtoo collection of wall hung and counter top taps, that have been given new functionality and an amplified hygiene factor by being fitted with motion-activated technology. The result? A clean look with cleaner functionality.

# For shower and bathtub

The Qtoo Collection shower and bathtub system of showerheads, spouts and control unit combinations are for mixing and matching to personal taste and need. Each element of the system is perfectly minimal, with every detail precision-designed around function.

The collection is designed to be wall-mounted and built in the wall. The control units operate the water and flow, and adjust the temperature, with an optional thermostat that offers smart antiscald function to safeguard families with children.

- Built-in depth: 69 mm
- 400 mm projection
- Rose diameter: 90 mm
- Flow rate limited to max. 5.7lpm
- Spare flow regulator included 9.5lpm
- Anti lime scale
- Lead free compliant


Built-in shower set



**Item no.:**  
QS3100-340WM  
QS3100-340WP

**Description:**  
W/300mm head shower, satin stainless steel  
W/300mm head shower, polished stainless steel

**Unit:**  
1set  
1set




Built-in two-way shower set



**Item no.:**  
QS3200-340WM  
QS3200-340WP

**Description:**  
W/300mm head shower & hand shower, satin stainless steel  
W/300mm head shower & hand shower, polished stainless steel

**Unit:**  
1set  
1set




Built-in two-way thermostat shower set



**Item no.:**  
QS3300-340WM  
QS3300-340WP

**Description:**  
W/300mm head shower & hand shower, satin stainless steel  
W/300mm head shower & hand shower, polished stainless steel

**Unit:**  
1set  
1set




Built-in two-way bathtub set



**Item no.:**  
QS3200-190SM  
QS3200-190SP



**Description:**  
W/190mm spout & hand shower, satin stainless steel  
W/190mm spout & hand shower, polished stainless steel

**Unit:**  
1set  
1set







Built-in part f/ mixer





Item no.: QS3100  
Description: Built-in part only, stainless steel  
Unit: 1pcs

Built-in part f/ mixer & diverter





Item no.: QS3200  
Description: Built-in part only, stainless steel  
Unit: 1pcs

Built-in part 1/2" f/spout, wall outlet & shower arm





Item no.: QS3400  
Description: Built-in part only, stainless steel  
Unit: 1pcs

Built-in part f/ diverter and thermostat





Item no.: QS3300  
Description: Built-in part only, stainless steel  
Unit: 1pcs

Control f/wall mounted mixer





Item no.: QA2190M  
QA2190P  
Description: Ø90mm rose, satin stainless steel  
Ø90mm rose, polished stainless steel  
Unit: 1pcs  
1pcs

Control f/wall mounted diverter




Item no.: QA2290M  
QA2290P  
Description: Ø90mm rose, satin stainless steel  
Ø90mm rose, polished stainless steel  
Unit: 1pcs  
1pcs

Control f/wall mounted thermostat



Item no.: QA2390M  
QA2390P  
Description: Ø90mm rose, satin stainless steel  
Ø90mm rose, polished stainless steel  
Unit: 1pcs  
1pcs

Spout, 115mm




**Item no.:**  
QA3090M  
QA3090P

**Description:**  
Ø90mm rose, satin stainless steel  
Ø90mm rose, polished stainless steel

**Unit:**  
1pcs  
1pcs

Spout, 190mm




**Item no.:**  
QA3190M  
QA3190P

**Description:**  
Ø90mm rose, satin stainless steel  
Ø90mm rose, polished stainless steel

**Unit:**  
1pcs  
1pcs

Spout, 191mm




**Item no.:**  
QA3390M  
QA3390P

**Description:**  
Ø90mm rose, satin stainless steel  
Ø90mm rose, polished stainless steel

**Unit:**  
1pcs  
1pcs

Spout, 250mm




**Item no.:**  
QA3290M  
QA3290P

**Description:**  
Ø90mm rose, satin stainless steel  
Ø90mm rose, polished stainless steel

**Unit:**  
1pcs  
1pcs

Hand shower




**Item no.:**  
QS5320M  
QS5320P

**Description:**  
Ø24mm, satin stainless steel  
Ø24mm, polished stainless steel

**Unit:**  
1pcs  
1pcs

Hand shower holder





**Item no.:**  
QS5690M  
QS5690P

**Description::**  
Ø90mm rose, wall mounted,  
satin stainless steel  
Ø90mm rose, wall mounted,  
polished stainless steel

**Unit:**  
1pcs  
1pcs

Shower hose




**Item no.:**  
QS5410M  
QS5410P

**Description:**  
1750mm, satin finish  
1750mm, polished finish

**Unit:**  
1pcs  
1pcs

Shower hose w/ silicone cover




**Item no.:**  
QS5400M  
QS5400P

**Description:**  
1750mm, satin finish  
1750mm, polished finish


**Unit:**  
1pcs  
1pcs

Shower arm f/wall




| Item no.: | Description:                       | Unit: |
|-----------|------------------------------------|-------|
| QS5279M   | 300mm(A), satin stainless steel    | 1pcs  |
| QS5279P   | 300mm(A), polished stainless steel | 1pcs  |
| QS5289M   | 400mm(A), satin stainless steel    | 1pcs  |
| QS5289P   | 400mm(A), polished stainless steel | 1pcs  |

Shower arm f/ceiling




| Item no.: | Description:                                   | Unit: |
|-----------|--|-------|
| QS5209M   | 100mm(A), Ø90mm rose, satin stainless steel    | 1pcs  |
| QS5209P   | 100mm(A), Ø90mm rose, polished stainless steel | 1pcs  |
| QS5219M   | 200mm(A), Ø90mm rose, satin stainless steel    | 1pcs  |
| QS5219P   | 200mm(A), Ø90mm rose, polished stainless steel | 1pcs  |
| QS5229M   | 300mm(A), Ø90mm rose, satin stainless steel    | 1pcs  |
| QS5229P   | 300mm(A), Ø90mm rose, polished stainless steel | 1pcs  |
| QS5239M   | 400mm(A), Ø90mm rose, satin stainless steel    | 1pcs  |
| QS5239P   | 400mm(A), Ø90mm rose, polished stainless steel | 1pcs  |

Wall outlet f/hand shower



| Item no.: | Description:                         | Unit: |
|-----------|--------------------------------------|-------|
| QS5590M   | Ø90mm rose, satin stainless steel    | 1pcs  |
| QS5590P   | Ø90mm rose, polished stainless steel | 1pcs  |

Shower head



| Item no.: | Description:                        | Unit: |
|-----------|-------------------------------------|-------|
| QS5100M   | Ø200mm(A), satin stainless steel    | 1pcs  |
| QS5100P   | Ø200mm(A), polished stainless steel | 1pcs  |
| QS5110M   | Ø300mm(A), satin stainless steel    | 1pcs  |
| QS5110P   | Ø300mm(A), polished stainless steel | 1pcs  |



# Project:



**Interior designer**  
Emil Thorup

**Location**  
Klampenborg,  
Denmark

**Year**  
2021

**Amenities**  
Private residence

St. Catherine's  
College  
Charlottetårnet  
**Private residence**  
Grace Farms  
Cambridge Central  
Mosque  
SAS Royal Hotel  
Brudey Sneakers  
Family

# Project:

In an exclusive villa in Klampenborg just outside Copenhagen, this astonishing bathroom has been gently renovated by Danish Interior Designer Emil Thorup.



# Private residence

It is Scandinavian minimalism at its best; the natural stone and the light oak leads the mind to the raw materials that exists within the nordic nature. The bathtub set and the built-in tap from the Qtoo collection is in perfect harmony with the alluring, oval bathtub and the egg-shaped washbasin.



Project:



Image left:  
**QS3200-190SM**  
Built-in two-way  
bathtub set

Image right:  
a pair of  
**QT3100-190SM**  
Built-in tap,  
190mm spout



# Knud Holscher collection

P. 69 Sanitary Ware  
P. 101 Hardware

“Architects have a mind for unity.  
In terms of design, coherence is the  
word; the series forms a unity in  
concert with the architecture”

– Knud Holscher







Danish architect and industrial designer Knud Holscher has been part of d line from the beginning, conceiving our first coordinated d line of architectural hardware in 1971 as ‘modest design that is designed to last’.

# Functionality, simplicity and quality

Holscher graduated from the Royal Danish Academy of Fine Arts School of Architecture in 1957, having studied under Arne Jacobsen. Only three years later, he found himself working for his professor on St. Catherine's College, Oxford, and thumbing through stacks of brochures to piece together its finishing touches.

As a result of this frustrating exercise, Holscher came to design a series of award-winning, minimalist architectural hardware for d line, starting with the iconic U and L levers, whose characteristic bend would influence the entire product range. This also marked the first time AISI 316 stainless steel was used for hardware, and with it Holscher and d line pioneered the category's first truly enduring products.

Having established Knud Holscher Design in Copenhagen in 1995, Holscher has since worked with a team that includes his architect son, Rasmus, and that designs everything from future-proof buildings like Copenhagen's Kastrup Airport, to future-proof hardware for d line.

Holscher has won over awards for his designs, including several iF Design Awards that recognise design excellence and date back as far as 1978 and those first lever handles and doorstops for d line, many of which are exhibited at the Design Museum Denmark in Copenhagen.





# Sanitary ware



- P. 72 Bathroom accessories
- P. 78 Dispensers and waste bins
- P. 82 Soap dispensers
- P. 84 Hand dryers
- P. 86 Barrier-free
- P. 90 Sanitary panels

The d line sanitary range combines cleanness in its lines with cleanliness in its function, and unlike our hardware collection of individual yet complimentary items, this series consists of fittings that form a cohesive whole.



Dispensers and bins, bathroom accessories, touchless options and barrier-free solutions make up the range, which sits as comfortably in the interior design of private homes as in high-functioning, high-traffic public buildings.

Wherever they appear, our sanitary products can be flexibly combined yet always provide the same uniform impression. In their technical design, installation and maintenance are key focuses, to meet the need for impeccable hygiene no matter how long they live in a space.

For the panel system, elements are combined within a single frame. Combinations can be placed horizontally side-by-side in their own frame, or vertically according to the wishes of the architect. Installation of the system, pioneered over years of technical design development, takes a maximum of 20 minutes and its one-point locking mechanism allows for cleaning and refilling every module at the turn of a single key.


Simple and modular, the d line sanitary range's AISI 316 rust-resistant, non-corrosive, marine quality steel stands up to the high humidity levels of the bathroom, while its subtle curved edges and functional circular hole details are a nod to the bend in our first ever products, the L and U lever handles.

# Bathroom accessories

Like so many of our pieces, the bathroom accessories are characterised both by straight angles and round detailing. Each piece robustly stands up to humidity, cleaning products and years of use.


That sense of timelessness sums up our products and how their design is enduring. Because they're minimal and clean-lined enough to fit anywhere – whether a palace privy or a modern-day personal sanctuary.

Coat hook w/pin Ø14




Item no.: 14560502002      Description: Ø14×36 mm , w/bush      Unit: 1pcs

Coat hook Ø14





Item no.: 14561002003      Description: Ø14×23 mm, w/bush      Unit: 1pcs

Single wall hook





Item no.: 14562502000      Description: Ø80×52 mm      Unit: 1pcs

Coat hook Ø25




Item no.: 14560002000      Description: Ø25×21 mm, w/bush      Unit: 1pcs

Towel rail




| Item no.:   | Description:                               | Unit: |
|-------------|--|-------|
| 14705002305 | Ø14 mm, cc 300 mm                          | 1pcs  |
| 14705002453 | Ø14 mm, cc 450 mm                          | 1pcs  |
| 14705002658 | Ø14 mm, cc 600 mm                          | 1pcs  |
| 14705202304 | Ø19 mm, cc 300 mm                          | 1pcs  |
| 14705202452 | Ø19 mm, cc 450 mm                          | 1pcs  |
| 14705202657 | Ø19 mm, cc 600 mm                          | 1pcs  |
| 14425002008 | Utensile hook f/Ø19mm towel rail, Ø6×60 mm | 1pcs  |

Shower door set




| Item no.:   | Description:                             | Unit: |
|-------------|--|-------|
| 14705002450 | Shower door pull Ø14×450 mm, w/door stop | 1set  |
| 14705202450 | Shower door pull Ø19×450 mm, w/door stop | 1set  |

Toilet brush holder



| Item no.:   | Description:   | Unit: |
|-------------|--|-------|
| 14706102100 | Complete set, w/grey brush                             | 1pcs  |
| 14706102102 | Theft proof, complete set, w/grey brush                | 1pcs  |
| 14706125134 | Spare part: Grey brush incl. insert                    | 1pcs  |
| 14706102020 | Spare part: Toilet brush handle, satin stainless steel | 1pcs  |

Shampoo shelf




| Item no.:   | Description:   | Unit: |
|-------------|--|-------|
| 14703102302 | Ø14 mm, 319×78×75 mm, w/stainless steel shelf, theft proof | 1pcs  |
| 14702902305 | Ø14 mm, 319×78×75 mm, w/white shelf                        | 1pcs  |
| 14703002308 | Ø14 mm, 319×78×75 mm, w/black shelf                        | 1pcs  |

Toilet roll holder




Spare toilet roll holder




| Item no.:   | Description:                        | Unit: |
|-------------|-------------------------------------|-------|
| 14706202016 | Ø14 mm, 72×160 mm, w/ snap on cover | 1pcs  |
| 14706202010 | Ø14mm, 72×320 mm, w/ snap on cover  | 1pcs  |

| Item no.:   | Description:  | Unit: |
|-------------|---|-------|
| 14705602242 | Ø14 mm, 145×96 mm, w/stainless steel glass blasted bracket        | 1pcs  |
| 14705602243 | Ø14 mm, 145×96 mm, w/satin stainless steel bracket                | 1pcs  |
| 14705502140 | Ø14 mm, 145×96 mm, w/white bracket                                | 1pcs  |
| 14705602141 | Ø14 mm, 145×96 mm, w/black bracket                                | 1pcs  |
| 14705602250 | Cover plate f/145×96 mm toilet roll holder, satin stainless steel | 1pcs  |
| 14705702270 | Ø14 mm, 275×96 mm, w/white bracket                                | 1pcs  |
| 14705702320 | Ø14 mm, 320×96 mm, w/white bracket                                | 1pcs  |
| 14705802271 | Ø14 mm, 275×96 mm, w/black bracket                                | 1pcs  |
| 14705802328 | Ø14 mm, 320×96 mm, w/black bracket                                | 1pcs  |
| 14705902272 | Ø14 mm, 275×96 mm, w/stainless steel glass blasted bracket        | 1pcs  |
| 14705902325 | Ø14 mm, 320×96 mm, w/stainless steel glass blasted bracket        | 1pcs  |
| 14705902273 | Ø14 mm, 275×96 mm, w/satin stainless steel bracket                | 1pcs  |
| 14705902323 | Ø14 mm, 320×96 mm, w/satin stainless steel bracket                | 1pcs  |




Round pictogram




| Item no.:   | Description:                      | Unit: |
|-------------|-----------------------------------|-------|
| 14379702358 | Unisex, stainless steel, Ø76 mm   | 1pcs  |
| 14379702354 | Female, stainless steel, Ø76 mm   | 1pcs  |
| 14379702350 | Male, stainless steel, Ø76 mm     | 1pcs  |
| 14379702370 | Disabled, stainless steel, Ø76 mm | 1pcs  |

Square pictogram 86×86 mm




| Item no.:   | Description:                        | Unit: |
|-------------|-------------------------------------|-------|
| 14379702359 | Unisex, stainless steel, 86×86 mm   | 1pcs  |
| 14379702355 | Female, stainless steel, 86×86 mm   | 1pcs  |
| 14379702351 | Male, stainless steel, 86×86 mm     | 1pcs  |
| 14379702371 | Disabled, stainless steel, 86×86 mm | 1pcs  |

Square pictogram 175×175 mm




| Item no.:   | Description:                          | Unit: |
|-------------|---------------------------------------|-------|
| 14377702035 | Unisex, stainless steel, 175×175 mm   | 1pcs  |
| 14377702019 | Female, stainless steel, 175×175 mm   | 1pcs  |
| 14377702027 | Male, stainless steel, 175×175 mm     | 1pcs  |
| 14377702043 | Disabled, stainless steel, 175×175 mm | 1pcs  |

Maxi toilet roll holder



| Item no.:   | Description:                       | Unit: |
|-------------|------------------------------------|-------|
| 14708602001 | Ø212×126 mm, stainless steel front | 1pcs  |
| 14708702002 | Ø212×126 mm, frosted acrylic front | 1pcs  |
| 14708602200 | Ø308×126 mm, stainless steel front | 1pcs  |
| 14708702201 | Ø308×126 mm, frosted acrylic front | 1pcs  |

Bathroom set




| Item no.:   | Description:                                   | Unit: |
|-------------|--|-------|
| 14706002007 | d line bathroom box set, 145605-7056-7061-7062 | 1set  |

# Dispensers and waste bins

Every piece of our modular dispensers and waste bins features curved edges and hole details a nod to the original bend in the L lever handle that d line is renowned for.


But because our design is not about decorative details, the hole of course has a practical purpose: it's an indicator of when supplies of whatever the piece is holding are running low.

Tissue dispenser




|  |   |   |
|--|---|---|
| <b>Item no.:</b><br>14709102000<br>14709100000 | <b>Description:</b><br>Wall mounted, 285×140×123 mm<br>Spare part: paper f/tissue dispenser | <b>Unit:</b><br>1pcs<br>1 box of 40pcs<br>w/100 tissues<br>each |
|--|---|---|

Sanitary bag dispenser




|  |  |  |
|--|--|--|
| <b>Item no.:</b><br>14709502000<br>14709500000 | <b>Description:</b><br>Wall mounted, 285×140×123 mm<br>Spare part: hygiene plastic bags f/ sanitary<br>bag dispenser | <b>Unit:</b><br>1pcs<br>25 boxes of 50<br>bags |
|--|--|--|

Paper towel dispenser



|   |  |                                      |
|---|--|--------------------------------------|
| <b>Item no.:</b><br>14708002005<br>14708002004<br>14708000000 | <b>Description:</b><br>Wall mounted, w/ lid, 285×300×123 mm<br>Wall mounted, w/o lid, 285×300×123 mm<br>Spare part: paper f/paper towel dispenser,<br>2 layers interfolded | <b>Unit:</b><br>1pcs<br>1pcs<br>1pcs |
|---|--|--------------------------------------|



Touchless paper dispenser



|  |   |   |
|--|---|---|
| <b>Item no.:</b><br>14708102000<br>14708102200<br>14708100002<br>14708100001 | <b>Description:</b><br>Wall mounted, Small, f/ paper Ø140 mm<br>Wall mounted, Large, f/ paper Ø200 mm<br>Spare part: paper f/ touchless paper<br>dispenser, Small, Ø140 mm<br>Spare part: paper f/ touchless paper<br>dispenser, Large, Ø200 mm | <b>Unit:</b><br>1pcs<br>1pcs<br>10pcs<br>6pcs |
|--|---|---|




Waste bin f/ touchless paper dispenser




| Item no.:   | Description:                                 | Unit: |
|-------------|--|-------|
| 14709702010 | Wall mounted, w/lid, 351×400×195 mm, 20 ltr. | 1pcs  |
| 14709702110 | Wall mounted, w/lid, 386×600×225 mm, 45 ltr. | 1pcs  |
| 14709702210 | Wall mounted, w/lid, 386×800×225 mm, 60 ltr. | 1pcs  |

Waste bin, Small



| Item no.:   | Description:   | Unit: |
|-------------|--|-------|
| 14709702000 | Wall mounted, w/oblong hole, 285×300×123 mm, 15 ltr. | 1pcs  |
| 14709702100 | Wall mounted, w/round hole, 285×300×123 mm, 15 ltr.  | 1pcs  |
| 14709702200 | Wall mounted, w/oblong hole, 285×600×123 mm, 30 ltr. | 1pcs  |
| 14709702201 | Wall mounted, w/round hole, 285×600×123 mm, 30 ltr.  | 1pcs  |

Waste bin, Large



| Item no.:   | Description:                                   | Unit: |
|-------------|--|-------|
| 14708502201 | Wall mounted, w/o lid, 386×300×203 mm, 17 ltr. | 1pcs  |
| 14708502301 | Wall mounted, w/o lid, 386×600×203 mm, 40 ltr. | 1pcs  |
| 14708502308 | Wall mounted, w/ lid, 386×600×203 mm, 40 ltr.  | 1pcs  |





# Soap dispensers

Our line of sanitary ware by Knud Holscher is a cohesive group of products in AISI 316 stainless steel, to mix, match and assign various jobs to.

The soap dispensers, traditionally used by bathroom sinks, can also be lined up and wall-mounted in the shower for shampoo, conditioner and shower gel, for a clean, bottle-free bathroom aesthetic.


Our new Touchless soap dispensers by Knud Holscher merges technology with heritage. Realised in AISI 316 stainless steel, these are already-loved pieces from our sanitary ware line, that have been given new functionality and an amplified hygiene factor by being fitted with motion-activated technology. The result? A clean look with cleaner functionality.

Soap dispenser Ø85




| Item no.:   | Description:   | Unit: |
|-------------|--|-------|
| 14704502011 | Wall mounted, 350ml, w/ indicator, f/soap                    | 1pcs  |
| 14704502012 | Wall mounted, 350ml, w/o indicator, f/soap                   | 1pcs  |
| 14704502013 | Wall mounted, 350ml, w/ indicator, f/foam                    | 1pcs  |
| 14704502014 | Wall mounted, 350ml, w/o indicator, f/foam                   | 1pcs  |
| 14704526001 | Spare part: soap container f/ Ø85 mm, f/ soap & disinfectant | 1pcs  |
| 14704526003 | Spare part: soap container f/ Ø85 mm, f/ foam                | 1pcs  |

Touchless soap dispenser



| Item no.:   | Description:                 | Features:                      | Unit: |
|-------------|------------------------------|--------------------------------|-------|
| 14704602000 | Wall mounted, f/soap         | 800ml refillable container.    | 1pcs  |
| 14704602010 | Wall mounted, f/disinfection | Battery or mains powered.      | 1pcs  |
| 14704602020 | Wall mounted, f/lotion       | AC/DC adapter details:         | 1pcs  |
| 14704602030 | Wall mounted, f/foam         | Input: 100-240V, 50/60Hz, 0.5A | 1pcs  |
|             |                              | Output: 6V, 1.0A               |       |

Free-standing touchless dispenser f/disinfection




| Item no.:   | Description:                          | Features:                      | Unit: |
|-------------|---------------------------------------|--------------------------------|-------|
| 14704602040 | Free-standing, 800ml, f/ disinfection | 800ml refillable container.    | 1pcs  |
|             |                                       | Battery or mains powered.      |       |
|             |                                       | AC/DC adapter details:         |       |
|             |                                       | Input: 100-240V, 50/60Hz, 0.5A |       |
|             |                                       | Output: 6V, 1.0A               |       |

# Hand dryers

Our series of cohesive, modular architectural hand dryers designed by Knud Holscher continues the d line curved iconography, with rounded edges and functional hole detailing, yet they also embrace the latest innovations in motion-sensor technology.

Hand dryer w/ round details




**Item no.:**  
14708202000  
14708202001

**Description:**  
Wall mounted, voltage 220, CE/D Mark  
Wall mounted, voltage 110, ETL Mark

**Unit:**  
1pcs  
1pcs

Hand dryer w/ square details



**Item no.:**  
14708202010

**Description:**  
Wall mounted,  
voltage 100-240

**Unit:**  
1pcs

**Features::**  
Certified according to:  
EN 60335-1:2012,  
EN 60335-2-23:2003.

# Barrier-free

d line’s move into barrier-free is about enabling people, and as with many of the products we design, our leap into this important new area started with a need.

The range serves both the disabled community and helps the elderly remain in their homes in a way that is discreet and understated. Like our other categories, our barrier-free products fuse aesthetics and functionality.

Extensive user testing has shown a great need for products in this category that look good, so we have created them with features such as user-friendly operation; different colour options for easy detection by the visually impaired; and warmth to their touch to avoid causing pain to arthritis sufferers (the foldable seat).

Our solutions within barrier-free further extends into hardware and taps and shower fixtures. Combine our pieces from the Knud Holscher and Qtoo collections of barrier-free items to create safe spaces for the less abled.

Foldable grab bar




**Item no.:**  
14750202703  
14750202853  
14755602006  
14755602007

**Description:**  
700 mm  
850 mm  
Spare part: toilet roll holder, w/ pin, f/grab bar  
Spare part: toilet roll holder, w/o pin, f/grab bar



**Unit:**  
1pcs  
1pcs  
1pcs  
1pcs

**Features:**  
Tested according to: BS EN 12182: 2012.



d line ————— Knud Holscher collection

Grab rail set, bent end





**Item no.:**  
14751002302  
14751002602  
14751002902

**Description:**  
CC 300 mm  
CC 600 mm  
CC 900 mm

**Unit:**  
1set  
1set  
1set

Grab rail set, straight end




**Item no.:**  
14751002301  
14751002601  
14751002901

**Description:**  
CC 300 mm  
CC 600 mm  
CC 900 mm


**Unit:**  
1set  
1set  
1set

Grab rail system





**Item no.:** 14751202902  
**Description:** CC 900×300 mm  
**Unit:** 1set

Grab bar w/ leg support



**Item no.:** 14750002680  
14750002850  
14750102001  
14750302850  
**Description:** w/hinged cantilever, 685 mm, BS  
w/hinged cantilever, 850 mm, DIN  
Spare part: toilet roll holder, f/147500 grab rail  
Spare part: padding profile, f/147500 grab rail  
**Unit:** 1pcs  
1pcs  
1pcs  
1pcs

Foldable seat



**Item no.:** 14750102403  
**Description:** PU foam,  
H:150 mm,  
W: 521 mm,  
D:460 mm  
**Unit:** 1pcs  
**Features:** The PU-foam used for the foldable seat is REACH-conform.  
Tested according to: BS EN 12812:2012, §16.2 and §16.3.  
Max. load: 150 kg.







# Sanitary panels

For the panel system, elements are combined within a single frame. Choose between 11 standard combinations, that offer a variety of solutions required to maintain a fully functioning, high traffic washroom. It's why everything is created in AISI 316 rust-resistant, non-corrosive, marine quality steel, which stands up to the high humidity levels of the bathroom – and its daily maintenance.

Installation of the system, pioneered over years of technical design development, takes a maximum of 20 minutes and its onepoint locking mechanism allows for cleaning and refilling every module at the turn of a single key.


Now there are even more variations to the system's design, as each panel is available in our PVD and powder coated finishes.

Recessed hand dryer, sanitary panel E




| Item no.:   | Description: | Unit: |
|-------------|--------------|-------|
| 14710002036 | Hand dryer   | 1pcs  |

Recessed paper dispenser, sanitary panel H




| Item no.:   | Description:  | Unit: |
|-------------|---|-------|
| 14710003002 | Paper dispenser   | 1pcs  |
| 14708000000 | Spare part: paper f/paper towel dispenser, 2 layers interfolded | 1pcs  |

Sanitary panel MK




| Item no.:   | Description:                                     | Unit:                             |
|-------------|--|-----------------------------------|
| 14710004038 | Tissue dispenser & mini waste bin 8 ltr.         | 1pcs                              |
| 14709700000 | Spare part: plastic bags f/mini waste bin, 20ltr | 1 box = 150 rolls                 |
| 14709100000 | Spare part: paper f/tissue dispenser             | 1 box of 40pcs w/100 tissues each |

Sanitary panel MEK



| Item no.:   | Description:                                     | Unit:                             |
|-------------|--|-----------------------------------|
| 14710006100 | Tissue dispenser & mini waste bin 8 ltr.         | 1pcs                              |
| 14709700000 | Spare part: plastic bags f/mini waste bin, 20ltr | 1 box = 150 rolls                 |
| 14709100000 | Spare part: paper f/tissue dispenser             | 1 box of 40pcs w/100 tissues each |

Sanitary panel HEK




**Item no.:**  
14710008109  
14708000000  
14709700000

**Description:**  
Paper dispenser, hand dryer & mini waste bin 8 ltr.  
Spare part: paper f/paper towel dispenser, 2 layers interfolded  
Spare part: plastic bags f/mini waste bin, 20ltr  
= 150 rolls

**Unit:**  
1pcs  
1pcs  
1 box

Sanitary panel HK



**Item no.:**  
14710006001  
14708000000  
14709700000

**Description:**  
Paper dispenser & mini waste bin 8 ltr.  
Spare part: paper f/paper towel dispenser, 2 layers interfolded  
Spare part: plastic bags f/mini waste bin, 20ltr  
= 150 rolls

**Unit:**  
1pcs  
1pcs  
1 box

Sanitary panel HU




**Item no.:**  
14710006051  
14708000000  
14709700000

**Description:**  
Paper dispenser & mini waste bin w/ lid 8 ltr.  
Spare part: paper f/paper towel dispenser, 2 layers interfolded  
Spare part: plastic bags f/mini waste bin, 20ltr  
= 150 rolls

**Unit:**  
1pcs  
1pcs  
1 box

Sanitary panel HZ




**Item no.:**  
14710008103  
14708000000  
14709700002

**Description:**  
Paper dispenser & projecting maxi waste bin 50 ltr.  
Spare part: paper f/paper towel dispenser, 2 layers interfolded  
Spare part: plastic bags f/projecting maxi waste bin, 80ltr  
= 100 rolls

**Unit:**  
1pcs  
1pcs  
10pcs

Sanitary panel HL




**Item no.:**  
14710007010  
14708000000  
14709700001

**Description:**  
Paper dispenser & maxi waste bin 12 ltr.  
Spare part: paper f/paper towel dispenser, 2 layers interfolded  
Spare part: plastic bags f/maxi waste bin, 30ltr  
= 100 rolls

**Unit:**  
1pcs  
1pcs  
1 box

Sanitary panel HW




**Item no.:**  
14710007106  
14708000000  
14709700002

**Description:**  
Paper dispenser & projecting maxi waste bin 40 ltr.  
Spare part: paper f/paper towel dispenser, 2 layers interfolded  
Spare part: plastic bags f/projecting maxi waste bin, 80ltr  
= 100 rolls

**Unit:**  
1pcs  
1pcs  
10pcs

Sanitary panel HY



**Item no.:**  
14710007073  
14708000000  
14709700001

**Description:**  
Paper dispenser & maxi waste bin w/lid 12 ltr.  
Spare part: paper f/paper towel dispenser, 2 layers interfolded  
Spare part: plastic bags f/maxi waste bin, 30ltr  
= 100 rolls

**Unit:**  
1pcs  
1pcs  
1 box

# Project:



**Architect**  
SANAA Architects

**Location**  
Connecticut,  
USA

**Year**  
2016

**Amenities**  
Community garden  
Fireplaces  
Tree in the pavilion  
Barbeque courtyard  
Arts studio  
Performance space  
Seminar hall  
Game room  
Gymnasium

St. Catherine's  
College  
Charlottetårnet  
Private residence  
Grace Farms  
Cambridge Central  
Mosque  
SAS Royal Hotel  
Brudey Sneakers  
Family



# Project:

Inspired by and integrated within the natural landscape around it, the River Building at Grace Farms, which was designed by SANAA, gently slopes, bends and ‘pools’ with its surroundings.



# Grace Farms

For a place in which people gather to experience nature, encounter the arts, pursue justice, foster community and explore faith, the use of glass, steel, concrete and wood is particularly fitting. It allows the River Building, whose stainless steel roof turns almost blue when sunlight hits it, to represent an even deeper connection with nature.

In the building's bathrooms, d line sanitary ware was used for its simple lines and the natural rawness of its material.



Project:



Within the calm and sanctual bathrooms of Grace Farms, our Knud Holscher soap dispenser makes an aesthetically pleasing and functional backdrop. Beautiful in its simplicity, this piece's finish endures humid conditions and daily maintenance.



# Hardware



P. 104 Lever handles and accessories  
P. 118 Roses and escutcheons  
P. 128 Thumb tuns and toilet indicators  
P. 136 Pull handles and accessories  
P. 148 Knob handles  
P. 152 Back plates

P. 156 Locks & hinges  
P. 182 Door closers  
P. 164 Panic exit devices  
P. 166 Door stops  
P. 172 Window handles and accessories  
P. 178 Tools and fixing accessories



d line hardware is all about balance: the balance between form and function; between the senses of sight, hearing and touch; between that which you see and that which you don't; between design that looks good and design that works well; between changing tastes and advances in engineering; and between that which is bent and that which is straight.



In this category we aim to provide total solutions. For doors, for example, we do everything from lever handles, pulls, closers, stops and knobs, to roses, back plates, accessories and panic exit devices. Hardware is so named because its products are designed for constant use. Pushed, pulled, turned and bumped over and over again every day – whether in private homes or commercial buildings, government offices and cultural centres – they are required to bear the weight of a heavy coat, to open a window and lock it again, or to prevent a door pulled open from hitting the wall behind it.

This is why we've realised these tough, hardworking details in tough, hardworking

materials. It's why the technical, hidden aspects of each of our designs are as important to us as the look of their smooth, brushed exteriors. Like our unique ball bearings that will stand the test of time. And it's why the design of each – whether a future-facing smart product designed today, or a classic one conceived 40 years ago – is simple. This is how we know they'll always be relevant and beautiful – and, because they're strong, that they will always function well, too.



# Lever handles and accessories


In 1971, the first products were launched as d line and included two lever handles – the Ø14mm U and L – whose perfect harmony came from sharply bent sections that maintained the radius of their cross sections. Since then, we’ve continued to create lever handles that last a lifetime. In their technical design, our levers are designed for constant use, swift and easy installation as well as low maintenance. They are certified and conform to the highest quality- and fire standards, and come with a 20-year guarantee.

From the sourcing of non-corrosive high quality AISI316 stainless steel to the unique d line ball bearing system of 21 balls that roll against each other behind our lever roses, our lever handles will stand the test of time.

In this section the lever handles presented are predominantly for doors with 33-59mm thickness. Choose a spindle size up or down, for doors with a different thickness than the above mentioned (see page 115 for spindles). Match our lever handles without (w/o) roses with back plates on page 152.


The United Kingdom and Southern European countries often require CC38mm screw distances, and are available with both snap on and solid variations.

C lever handle w/ snap on cover




| Item no.:   | Description:                             | Unit: |
|-------------|--|-------|
| 14265602010 | 16C (A), pair, 7x7mm, CC30/38mm, 33-59mm | 1set  |
| 14261602010 | 16C (A), pair, 8x8mm, CC30/38mm, 33-59mm | 1set  |
| 14235602010 | 19C (A), pair, 7x7mm, CC30/38mm, 33-59mm | 1set  |
| 14231602010 | 19C (A), pair, 8x8mm, CC30/38mm, 33-59mm | 1set  |

C lever handle w/ solid rose




| Item no.:   | Description:                          | Unit: |
|-------------|---------------------------------------|-------|
| 14261102011 | 16C (A), pair, 8x8mm, CC30mm, 33-59mm | 1set  |
| 14231102010 | 19C (A), pair, 8x8mm, CC30mm, 33-59mm | 1set  |

C lever handle w/o rose




| Item no.:   | Description:                   | Unit: |
|-------------|--------------------------------|-------|
| 14261002900 | 16C (A), half, 8x8mm, w/o rose | 1pcs  |
| 14231002900 | 19C (A), half, 8x8mm, w/o rose | 1pcs  |

Coupé lever handle w/ snap on cover



| Item no.:   | Description:                    | Unit: |
|-------------|---------------------------------|-------|
| 14115602010 | Pair, 7x7mm, CC30/38mm, 33-59mm | 1set  |
| 14111602010 | Pair, 8x8mm, CC30/38mm, 33-59mm | 1set  |


Coupé lever handle w/ solid rose



**Item no.:** 14111102010  
**Description:** Pair, 8x8mm, CC30mm, 33-59mm

**Unit:** 1set


Coupé lever handle w/o rose



**Item no.:** 14111002900  
**Description:** Half, 8x8mm, w/o rose

**Unit:** 1pcs  
1pcs


FF lever handle w/ snap on cover



**Item no.:** 14255602010  
14251602010  
**Description:** 19FF, oblique, pair, 7x7mm, CC30/38mm, 33-59mm  
19FF, oblique, pair, 8x8mm, CC30/38mm, 33-59mm

**Unit:** 1set  
1set


FF lever handle w/solid rose



**Item no.:** 14251102010  
**Description:** 19FF, oblique, pair, 8x8mm, CC30mm, 33-59mm

**Unit:** 1set


FF lever handle w/o rose



**Item no.:** 14251002900  
14253002900  
**Description:** 19FF, oblique, half, 8x8mm, w/o rose  
19FF, oblique, fire, 9x9mm, w/o rose

**Unit:** 1pcs  
1pcs


FFG lever handle w/ snap on cover



**Item no.:** 14025602010  
14021602010  
14021602900  
14021902901  
14021902902  
**Description:** 19FFG, pair, 7x7mm, CC30/38, 33-59mm  
19FFG, pair, 8x8mm, CC30/38, 33-59mm  
19FFG, half, 8x8mm, CC30/38mm  
19FFG, half, 8x8mm + nokk. cc 38 M4  
19FFG, half, 8x8mm + nokk. cc 38 Ø4.5 mm

**Unit:** 1set  
1set  
1set  
1set  
1set


FFG lever handle w/ solid rose



**Item no.:** 14021102010  
**Description:** 19FFG, pair, 8x8mm, CC30mm, 33-59mm

**Unit:** 1set


FFG lever handle w/o rose



**Item no.:** 14021002900  
14023002900  
**Description:** 19FFG, half, 8x8mm, w/o rose  
19FFG, fire, half, 9x9mm, w/o rose

**Unit:** 1pcs  
1pcs

L lever handle w/ snap on cover




| Item no.:   | Description:                                | Unit: |
|-------------|---|-------|
| 14045602010 | 14L (A), pair, 7x7mm, CC30/38mm, 33-59mm    | 1set  |
| 14041602011 | 14L (A), pair, 8x8mm, CC30/38mm, 33-59mm    | 1set  |
| 14041602908 | 14L (A), half, 8x8mm, CC30/38mm             | 1pcs  |
| 14041902901 | 14L (A), half, 8x8mm + nokk w/M4            | 1pcs  |
| 14105602010 | 16L (A), pair, 7x7mm, CC30/38mm, 33-59mm    | 1set  |
| 14101602011 | 16L (A), pair, 8x8mm, CC30/38mm, 33-59mm    | 1set  |
| 14101602908 | 16L (A), half, 8x8mm, CC30/38mm             | 1pcs  |
| 14101902901 | 16L (A), half, 8x8mm + nokk. cc 38 M4       | 1pcs  |
| 14101902902 | 16L (A), half, 8x8mm + nokk. cc 38 Ø4.5 mm  | 1pcs  |
| 14165602010 | 19L (A), pair, 7x7mm, CC0/38mm, 33-59mm     | 1set  |
| 14161602010 | 19L (A), pair, 8x8mm, CC30/38mm, 33-59mm    | 1set  |
| 14163602017 | 19L (A), fire, pair, CC38mm, 9x9mm, 33-59mm | 1set  |
| 14161602907 | 19L (A), half, 8x8mm, CC30/38 mm            | 1pcs  |
| 14163602904 | 19L (A), fire, half, 9x9mm, CC38 mm         | 1pcs  |
| 14161902901 | 19L (A), half, 8x8mm + nokk. cc 38 M4       | 1pcs  |
| 14161902902 | 19L (A), half, 8x8mm + nokk. cc 38 Ø4.5 mm  | 1pcs  |


L lever handle w/o rose



L lever handle w/ solid rose




| Item no.:   | Description:                          | Unit: |
|-------------|---------------------------------------|-------|
| 14041102010 | 14L (A), pair, 8x8mm, CC30mm, 33-59mm | 1set  |
| 14101102018 | 16L (A), pair, 8x8mm, CC30mm, 33-59mm | 1set  |
| 14161102017 | 19L (A), pair, 8x8mm, CC30mm, 33-59mm | 1set  |




| Item no.:   | Description:                         | Unit: |
|-------------|--------------------------------------|-------|
| 14041002900 | 14L (A), half, 8x8mm, w/o rose       | 1pcs  |
| 14101002901 | 16L (A), half, 8x8mm, w/o rose       | 1pcs  |
| 14161002900 | 19L (A), half, 8x8mm, w/o rose       | 1pcs  |
| 14163002907 | 19L (A), fire, half, 9x9mm, w/o rose | 1pcs  |

L lever handle f/ Salto electronic lock



| Item no.:   | Description:   | Unit: |
|-------------|--|-------|
| 14276002911 | 19L, Lever handle set w/o rose f/ XS4 Original & One (lock not included) | 1set  |


LF lever handle w/ oval snap on cover



| Item no.:   | Description:                           | Unit: |
|-------------|--|-------|
| 14145602010 | 16LF (A), pair, 7x7mm, CC50mm, 33-44mm | 1set  |
| 14151702010 | 16LF (A), pair, 8x8mm, CC50mm, 33-44mm | 1set  |
| 14151702900 | 16LF (A), half, 8x8mm, CC50mm          | 1set  |
| 14215702010 | 19LF (A), pair, 7x7mm, CC50mm, 33-44mm | 1set  |
| 14211702010 | 19LF (A), pair, 8x8mm, CC50mm, 33-44mm | 1set  |
| 14211702900 | 19LF (A), half, 8x8mm, CC50mm          | 1set  |
| 14213702900 | 19LF (A), fire, half, 9x9mm, CC50mm    | 1set  |




LF lever handle w/ oval solid rose




| Item no.:   | Description:                           | Unit: |
|-------------|--|-------|
| 14151402010 | 16LF (A), pair, 8x8mm, CC50mm, 33-44mm | 1set  |
| 14151402900 | 16LF (A), half, 8x8mm, CC50mm          | 1pcs  |
| 14211402020 | 19LF (A), pair, 8x8mm, CC50mm, 44-52mm | 1set  |
| 14211402900 | 19LF (A), half, 8x8mm, CC50mm          | 1pcs  |

LF lever handle w/o rose




| Item no.:   | Description:                    | Unit: |
|-------------|---------------------------------|-------|
| 14151002900 | 16LF (A), half, 8x8mm, w/o rose | 1pcs  |
| 14211002900 | 19LF (A), half, 8x8mm, w/o rose | 1pcs  |

U lever handle w/ solid rose




| Item no.:   | Description:                          | Unit: |
|-------------|---------------------------------------|-------|
| 14121102014 | 16U (A), pair, 8x8mm, CC30mm, 33-59mm | 1set  |
| 14181102013 | 19U (A), pair, 8x8mm, CC30mm, 33-59mm | 1set  |

U lever handle w/o rose




| Item no.:   | Description:                         | Unit: |
|-------------|--------------------------------------|-------|
| 14051002900 | 14U (A), half, 8x8mm, w/o rose       | 1pcs  |
| 14121002907 | 16U (A), half, 8x8mm, w/o rose       | 1pcs  |
| 14181002906 | 19U (A), half, 8x8mm, w/o rose       | 1pcs  |
| 14183002903 | 19U (A), fire, half, 9x9mm, w/o rose | 1pcs  |

U lever handle w/ snap on cover




| Item no.:   | Description:                                   | Unit: |
|-------------|--|-------|
| 14055602010 | 14U (A), pair, 7x7mm, CC30/38mm, 33-59mm       | 1set  |
| 14051602017 | 14U (A), pair, 8x8mm, CC30/38mm, 33-59mm       | 1set  |
| 14125602010 | 16U (A), pair, 7x7mm, CC30/38mm, 33-59mm       | 1set  |
| 14121602017 | 16U (A), pair, 8x8mm, CC30/38mm, 33-59mm       | 1set  |
| 14121602904 | 16U (A), half, 8x8mm, CC30/38 mm               | 1pcs  |
| 14121902901 | 16U (A), half, 8x8mm + nokk. CC38 M4           | 1pcs  |
| 14121902902 | 16U (A), half, 8x8mm + nokk. CC38 Ø4.5 mm      | 1pcs  |
| 14185602010 | 19U (A), pair, 7x7mm, CC30/38mm, 33-59mm       | 1set  |
| 14181602016 | 19U (A), pair, 8x8mm, CC30/38mm, 33-59mm       | 1set  |
| 14183602013 | 19U (A), fire, pair, 9x9mm, CC30/38mm, 33-59mm | 1set  |
| 14181602903 | 19U (A), half 8x8mm, CC30/38mm                 | 1pcs  |
| 14181902901 | 19U (A), half, 8x8mm + nokk. CC38 M4           | 1pcs  |
| 14183602901 | 19U (A), fire, half, 9x9mm, CC38mm             | 1pcs  |
| 14185002120 | 19U (A), half, dummy, CC30/38mm, w/ thread     | 1pcs  |
| 14185002140 | 19U (A), half, dummy, CC30/38mm, w/ bush       | 1pcs  |

UF lever handle w/ oval snap on cover




| Item no.:   | Description:                           | Unit: |
|-------------|--|-------|
| 14145702010 | 16UF (A), pair, 7x7mm, CC50mm, 33-44mm | 1set  |
| 14141702018 | 16UF (A), pair, 8x8mm, CC50mm, 33-44mm | 1set  |
| 14141702900 | 16UF (A), half, 8x8mm, CC50mm          | 1pcs  |
| 14205702010 | 19UF (A), pair, 7x7mm, CC50mm, 33-44mm | 1set  |
| 14201702012 | 19UF (A), pair, 8x8mm, CC50mm, 33-44mm | 1set  |
| 14201702900 | 19UF (A), half, 8x8mm, CC50mm          | 1pcs  |
| 14203702900 | 19UF (A), fire, half, 9x9mm, CC50mm    | 1pcs  |

UF lever handle w/ oval solid rose



| Item no.:   | Description:                           | Unit: |
|-------------|--|-------|
| 14141402010 | 16UF (A), pair, 8x8mm, CC50mm, 33-44mm | 1set  |
| 14141402900 | 16UF (A), half, 8x8mm, CC50mm          | 1pcs  |
| 14201402020 | 19UF (A), pair, 8x8mm, CC50mm, 44-52mm | 1set  |
| 14201402900 | 19UF (A), half, 8x8mm, CC50mm          | 1pcs  |

UF lever handle w/o rose




**Item no.:**  
14141002903  
14201002908  
14203002900

**Description:**  
16UF (A), half, 8x8mm, w/o rose  
19UF (A), half, 8x8mm, w/o rose  
19UF (A), fire, half, 9x9mm, w/o rose

**Unit:**  
1pcs  
1pcs  
1pcs

Return spring





**Item no.:**  
14299300012  
14299300013  
14299300015

**Description:**  
Left-right, f/CC38mm lever handles  
Spring single action, left , f/CC38mm lever handles  
CC38mm, 30° angle, f/ 8x8mm spindle

**Unit:**  
1pcs  
1pcs  
1pcs

PVC bush





**Item no.:**  
14298600006  
14299000002

**Description:**  
CC30mm  
CC38mm

**Unit:**  
1pcs  
1pcs

Steel door bush



**Item no.:**  
14298800005  
14298800609

**Description:**  
Steel Door Bush < 60 mm (A)  
Steel Door Bush > 60 mm (A)

**Unit:**  
1pcs  
1pcs



The technical hidden aspects of each of our designs are as important to us as the look of their smooth, brushed exteriors. And it's why the design of each – whether a future-facing smart product designed today, or a classic one conceived 40 years ago – is simple. This is how we know they'll always be relevant and beautiful – and, because they're strong, that they will always function well, too.


**Steel door bush – f/ steel or aluminum doors in Scandinavia**  
Our innovative steel door bush is the main element for any steel or aluminum door in Scandinavia. Though unseen, the bushes ensure a robust and optimal installation of our d line lever handles, so that they can be turned, touched, pulled, and pushed, forever.

**PVC Bush – f/ timber doors**  
Our PVC bushes for all timber doors are part of why we can offer a 20-year guarantee on the product functioning. When installed correctly within the door blade it prevents the lever handle rose from rotating (thus not damaging the door and screws), and regardless of the amount of high traffic use, the lever handle will remain in its place.

**Return spring**  
Drooping lever handles are caused by mortice locks having a weak return spring. To compensate for the weakness, we've designed a return spring to be embedded within the door. The return spring will not only ensure a fully horizontal positioning of the d line lever handle, but also an optimal positioning according to the follower of the mortise lock.

Lever handles  
accessories


Snap on cover, spare part



BIM

| Item no.:   | Description:               | Unit: |
|-------------|----------------------------|-------|
| 14972002012 | Ø50 mm, f/Ø16 lever handle | 1pcs  |
| 14972002021 | Ø50 mm, f/Ø19 lever handle | 1pcs  |

Reduction bush




| Item no.:   | Description: | Unit: |
|-------------|--------------|-------|
| 14545292078 | 7/8x33mm     | 1pcs  |

Oneway spindle




| Item no.:   | Description:                     | Unit: |
|-------------|----------------------------------|-------|
| 14280092802 | 8x8x63mm, 39-48mm door thickness | 1pcs  |
| 14280092803 | 8x8x70mm, 46-55mm door thickness | 1pcs  |

Rigidiser




| Item no.:   | Description:                  | Unit: |
|-------------|-------------------------------|-------|
| 14292102060 | F/fixed lever mounting, Ø19mm | 1pcs  |

Neck extension



| Item no.:   | Description:                           | Unit: |
|-------------|--|-------|
| 14290002020 | Neck extension for levers, Ø19x20(A)mm | 1pcs  |
| 14290002040 | Neck extension for levers, Ø19x40(A)mm | 1pcs  |


Oneway spindle w/ pin



BIM


| Item no.:   | Description: | Unit: |
|-------------|--------------|-------|
| 14281092801 | 8x8x41mm     | 1pcs  |
| 14281092901 | 9x9x41mm     | 1pcs  |

Spindle



| Item no.:   | Description:   | Unit: |
|-------------|--|-------|
| 14285092092 | 7x7x92mm, f/ L-U-C-FF levers, 33-59mm door thickness   | 1pcs  |
| 14285092116 | 7x7x116mm, f/ L-U-C-FF levers, 59-85mm door thickness  | 1pcs  |
| 14285092140 | 7x7x140mm, f/ L-U-C-FF levers, 85-111mm door thickness | 1pcs  |
| 14281092084 | 8x8x84mm, f/ LF-UF levers, 44-52mm door thickness      | 1pcs  |
| 14281092092 | 8x8x92mm, f/ L-U-C-FF levers, 33-59mm door thickness   | 1pcs  |
| 14281092100 | 8x8x100mm, f/ LF-UF levers, 60-68mm door thickness     | 1pcs  |
| 14281092108 | 8x8x108mm, f/ LF-UF levers, 68-76mm door thickness     | 1pcs  |
| 14281092116 | 8x8x116mm, f/ L-U-C-FF levers, 59-85mm door thickness  | 1pcs  |
| 14281092140 | 8x8x140mm, f/ L-U-C-FF levers, 85-111mm door thickness | 1pcs  |
| 14283092092 | 9x9x92mm, f/ LF-UF levers, 52-60mm door thickness      | 1pcs  |
| 14283092108 | 9x9x108mm, f/ LF-UF levers, 68-76mm door thickness     | 1pcs  |
| 14283092116 | 9x9x116mm, f/ L-U-C-FF levers, 59-85mm door thickness  | 1pcs  |
| 14283092140 | 9x9x140mm, f/ L-U-C-FF levers, 85-111mm door thickness | 1pcs  |

Spindle w/ thread




| Item no.:   | Description:            | Unit: |
|-------------|-------------------------|-------|
| 14283092801 | 8x8x85mm, w/ M8 thread  | 1pcs  |
| 14283092115 | 8x8x115mm, w/ M6 thread | 1pcs  |
| 14284092802 | 8x8x145mm, w/ M6 thread | 1pcs  |
| 14284092902 | 9x9x145mm, w/ M6 thread | 1pcs  |

Spindle f/ toilet indicator



| Item no.:   | Description:                  | Unit: |
|-------------|-------------------------------|-------|
| 14972592561 | 5x5x67mm, f/toilet indicator  | 1pcs  |
| 14972592570 | 5x5x85mm, f/toilet indicator  | 1pcs  |
| 14972592642 | 6x6x48mm, f/toilet indicator  | 1pcs  |
| 14972592740 | 7x7x48mm, f/toilet indicator  | 1pcs  |
| 14972592747 | 8x8x48mm, f/ toilet indicator | 1pcs  |
| 14972592863 | 8x8x67mm, f/ toilet indicator | 1pcs  |

Split spindle



| Item no.:   | Description:                       | Unit: |
|-------------|------------------------------------|-------|
| 14281192801 | 8x8x92mm, 35-59mm door thickness   | 1pcs  |
| 14281192802 | 8x8x116mm, 59-85mm door thickness  | 1pcs  |
| 14281192803 | 8x8x140mm, 85-111mm door thickness | 1pcs  |
| 14281192901 | 9x9x92mm, 43-59mm door thickness   | 1pcs  |
| 14281192902 | 9x9x116mm, 59-85mm door thickness  | 1pcs  |
| 14281192903 | 9x9x140mm, 85-111mm door thickness | 1pcs  |



**Our PVD Charcoal finish, applied to the L Lever by Knud Holscher**  
Hard and durable, to withstand even the toughest home environments,  
the finish also exudes a softness thanks to its matt look and feel.  
The PVD coating to our original stainless steel products brings a new  
dimension to these timeless pieces.






# Roses and escutcheons

The garnish on the door is just as important as the design of the lever handle. For a single door, multiple solutions are available – depending on the lock case, door thickness, cylinder or design.

In this section you'll find a curated overview of our most used pieces in resilient, non-corrosive AISI 316 stainless steel. For more specific items in mind, please contact [info@dline.com](mailto:info@dline.com).


Staying true to our heritage, the pieces are a simple and true iteration of its purest function, each item available in the same finishes as our lever handles for a perfect match on the door.

Blind rose f/ cylinder escutcheon




Item no.: 14346002108  
Description: Ø50x3mm, CC30mm, M5, f/ cylinder escutcheon  
Unit: 1pcs

Blind rose w/ snap on cover




Item no.: 14346502100  
Description: Ø50x4mm, CC30mm  
14324502808 Ø50x4mm, CC27/30/38mm  
Unit: 1pcs

Blind rose w/ solid rose





Item no.: 14324002104  
Description: Ø50x3mm, CC30mm (A)  
14324002201 Ø50x3mm, CC38mm (A)  
Unit: 1pcs

Cylinder escutcheon w/ oval hole, snap on cover




Item no.: 14343602139  
Description: Ø50x4mm, CC30mm, f/ Assa, Boda, Trioving  
14343502223 Ø50x4mm, CC38mm, f/ Union  
Unit: 1pcs

Cylinder escutcheon w/ oval hole, solid rose





**Item no.:** 14343202149  
**Description:** Ø50x3mm, CC30mm, f/ Assa, Boda, Trioving  
**Unit:** 1pcs

Cylinder escutcheon w/ round hole, snap on cover




**Item no.:** 14343502258  
**Description:** Ø50x4mm, CC38mm, f/ Keso, kaba  
**Unit:** 1pcs

Cylinder escutcheon w/PZ hole, snap on cover




**Item no.:** 14343502215  
**Description:** Ø50x4mm, CC38mm  
**Unit:** 1pcs

Cylinder escutcheon w/ PZ hole, solid rose




**Item no.:** 14343002212  
**Description:** Ø50x3mm, CC38mm  
**Unit:** 1pcs

Ext. cylinder escutcheon w/ oval hole




**Item no.:** 14344102067  
14344102073  
14344102083  
14344102113  
14344102130  
14344102164  
14344102181  
14344102201  
14344102211  
**Description:** 6mm(A), Ø51.5mm, CC30mm  
7mm(A), Ø51.5mm, CC30mm  
8mm(A), Ø52.5mm, CC30mm  
11mm(A), Ø54mm, CC30mm  
13mm(A), Ø54mm, CC30mm  
16mm(A), Ø54mm, CC30mm  
18mm(A), Ø54mm, CC30mm  
20mm(A), Ø54mm, CC30mm  
21mm(A), Ø54mm, CC30mm  
**Unit:** 1pcs  
1pcs  
1pcs  
1pcs  
1pcs  
1pcs  
1pcs  
1pcs  
1pcs

Int. cylinder escutcheon w/ rococo hole




**Item no.:** 14345302060  
14345302073  
14345302086  
14345302116  
14345302132  
14345302167  
14345302183  
14345302201  
**Description:** 6mm(A), Ø51.5mm, CC30mm  
7mm(A), Ø51.5mm, CC30mm  
8mm(A), Ø52.5mm, CC30mm  
11mm(A), Ø54mm, CC30mm  
13mm(A), Ø54mm, CC30mm  
16mm(A), Ø54mm, CC30mm  
18mm(A), Ø54mm, CC30mm  
20mm(A), Ø54mm, CC30mm  
**Unit:** 1pcs  
1pcs  
1pcs  
1pcs  
1pcs  
1pcs  
1pcs  
1pcs

Ext. cylinder escutcheon w/ PZ hole



**Item no.:** 14344402087  
14344402117  
**Description:** 8mm(A), Ø54mm, CC38mm  
11mm(A), Ø54mm, CC38mm  
**Unit:** 1pcs  
1pcs



Int. cylinder escutcheon w/ PZ hole



**Item no.:** 14345402081  
**Description:** 8mm, Ø54mm, CC38mm  
**Unit:** 1pcs




Key escutcheon w/ snap on cover




Item no.: 14323502804      Description: Ø50mm, CC27/38mm      Unit: 1pcs

Key escutcheon w/ solid rose




Item no.: 14323002551      Description: Ø50x3mm, CC27mm  
14323002208      Ø50x3mm, CC38 mm      Unit: 1pcs  
1pcs

Oval blind rose w/ snap on cover




Item no.: 14324702300      Description: 30x65mm, CC43mm (A)  
14324702408      30x65mm, CC50mm (A)      Unit: 1pcs  
1pcs

Oval blind rose w/ solid rose





Item no.: 14324102300      Description: 30x65mm, CC43mm (A)  
14324102350      30x65mm, CC50mm (A)      Unit: 1pcs  
1pcs

Oval cylinder escutcheon w/ oval hole




Item no.: 14344202134      Description: 30x85mm, 13mm, CC54mm      Unit: 1pcs

Oval cylinder escutcheon w/ oval hole, snap on cover





Item no.: 14343702440      Description: 30x65mm, CC50mm, f/ASSA      Unit: 1pcs

Oval cylinder escutcheon w/ oval hole, solid rose




Item no.: 14343002440      Description: 30x65mm, CC50mm, f/ Assa, Boda      Unit: 1pcs

Oval cylinder escutcheon w/PZ hole, snap on cover




Item no.: 14343702419      Description: 30x65mm, CC50mm      Unit: 1pcs

Oval cylinder escutcheon w/ PZ hole, solid rose




**Item no.:** 14343002410  
**Description:** 30x65mm, CC50mm  
**Unit:** 1pcs

Oval cylinder esutcheon w/ round hole, snap on cover




**Item no.:** 14343702450  
**Description:** 30x65mm, CC50mm  
**Unit:** 1pcs  
1pcs

Oval rose f/dummy function, snap on cover




**Item no.:** 14326702900  
**Description:** 30x65mm, CC50mm, w/8x8mm spindle  
**Unit:** 1pcs

Oval rose f/dummy function, solid rose




**Item no.:** 14326702400  
**Description:** 30x65mm, CC50mm, w/8x8mm spindle  
**Unit:** 1pcs

Oval rose w/ snap on cover





**Item no.:** 14321702369  
14321702466  
14321702393  
14321702491  
**Description:** 30x65mm, CC43mm(A), f/Ø16 w/ball bearing  
30x65mm, CC50mm(A), f/Ø16 w/ball bearing  
30x65mm, CC43mm(A), f/Ø19 w/ball bearing  
30x65mm, CC50mm(A), f/Ø19 w/ball bearing  
**Unit:** 1pcs  
1pcs  
1pcs  
1pcs

Oval rose w/ solid rose




**Item no.:** 14321102443  
143211024500  
**Description:** 30x65mm, CC43mm(A), w/ball bearing  
30x65mm, CC50mm(A), w/ball bearing  
**Unit:** 1pcs  
1pcs

Rose w/ snap on cover




**Item no.:** 14321602607  
14321602909  
**Description:** Ø50mm, CC30/38mm, f/Ø16 (A) w/ball bearing  
Ø50mm, CC30/38mm, f/Ø19 (A) w/ball bearing  
**Unit:** 1pcs  
1pcs

Rose w/ solid rose



**Item no.:** 14321002154  
14321002201  
**Description:** Ø50mm, CC30mm(A), w/ball bearing  
Ø50mm, CC38mm(A), w/ball bearing  
**Unit:** 1pcs  
1pcs

Rose f/dummy function, solid rose




**Item no.:**  
14325902101  
14325902203

**Description:**  
 $\varnothing 50$ mm, CC30mm (A), w/8x8mm spindle  
 $\varnothing 50$ mm, CC38mm (A), w/8x8mm spindle

**Unit:**  
1pcs  
1pcs

Rose f/dummy function, snap on cover



**Item no.:**  
14325902900

**Description:**  
 $\varnothing 50$ mm, CC30/38mm, w/8x8mm spindle

**Unit:**  
1pcs






# Thumb turns and toilet indicators

The locking mechanism of a door; the privacy it provides; the visual effects of seeing green as available and red as unavailable; the gentle touch of swiftly locking or unlocking a space; the ergonomic feel of the perfect fit for a thumb – all realised in non-corrosive AISI 316 stainless steel, that can handle high humidity and maintenance levels.


Our toilet indicators are further child proof, ensuring that if a person is confined within in a bathroom, the lock can be configured from the outside.

Thumb turn, barrier-free w/ snap on cover




| Item no.:   | Description:                         | Unit: |
|-------------|--------------------------------------|-------|
| 14341802150 | Disabled RH, CC30mm(A), f/Assa, Boda | 1pcs  |
| 14341802160 | Disabled LH, CC30mm(A), f/Assa, Boda | 1pcs  |
| 14341802280 | Disabled 8x8x40mm, CC38mm(A), DIN    | 1pcs  |

Thumb turn, barrier-free w/ solid rose




| Item no.:   | Description:                          | Unit: |
|-------------|---------------------------------------|-------|
| 14341102163 | Disabled RH, CC30mm(A), f/ Assa, Boda | 1pcs  |
| 14341102171 | Disabled LH, CC30mm(A), f/ Assa, Boda | 1pcs  |
| 14341102287 | Disabled 8x8x40mm, CC38mm(A), DIN     | 1pcs  |

Thumb turn w/ snap on cover




| Item no.:   | Description:                     | Unit: |
|-------------|----------------------------------|-------|
| 14341602160 | CC30mm (A), f/Assa, Boda         | 1pcs  |
| 14341602280 | CC38mm (A), DIN, w/8x8mm spindle | 1pcs  |

Thumb turn w/ solid rose





| Item no.:   | Description:            | Unit: |
|-------------|-------------------------|-------|
| 14341002169 | CC30mm, Assa, w/spindle | 1pcs  |

Narrow thumb turn w/ snap on cover




**Item no.:** 14341702460  
**Description:** 65x30mm, CC50mm  
**Unit:** 1pcs

Narrow thumb turn w/ solid rose




**Item no.:** 14341302460  
**Description:** 65x30mm, CC50mm  
**Unit:** 1pcs

Toilet surface hook lock




**Item no.:** 14347902021  
14347902030  
**Description:** CC38mm, right hand  
CC38mm, left hand  
**Unit:** 1set  
1set

Toilet surface indicator




**Item no.:** 14347602120  
14347602028  
**Description:** CC38mm, 10-12mm, reversible  
CC38mm, 18-34mm, w/5mm spindle  
**Unit:** 1set  
1set

Toilet indicator, barrier-free w/ snap on cover




**Item no.:** 14347802450  
14347802150  
14347802300  
**Description:** 5L90 (B), Ø50mm, CC38mm (A)  
5V90 (B), Ø50mm, CC30mm (A)  
8L90 (B), Ø50mm, CC38mm (A), f/31-47mm doors  
**Unit:** 1set  
1set  
1set

Toilet indicator, barrier-free w/ solid rose




**Item no.:** 14347102157  
14347102165  
14347102335  
**Description:** 5V90 (B), Ø50mm, CC30(A)x5.5mm, right hand  
5V90 (B), Ø50mm, CC30(A)x5.5mm, left hand  
8L90 (B), CC38mm (A)  
**Unit:** 1set  
1set  
1set

Toilet indicator w/ snap on cover




**Item no.:** 14347502457  
14347502104  
14347502155  
14347502503  
14347502506  
14347502309  
14347502311  
**Description:** 5L90 (B), Ø50mm, CC38mm (A)  
5V180 (B), Ø50mm, CC27mm (A)  
5V90 (B), Ø50mm, CC30mm (A)  
6L90 (B), Ø50mm, CC38mm (A), f/31-47mm doors  
6L90 (B), Ø50mm, CC38mm (A), f/48-62mm doors  
8L90 (B), Ø50mm, CC38mm (A), f/31-47mm doors  
8L90 (B), Ø50mm, CC38mm (A), f/54-67mm doors  
**Unit:** 1set  
1set  
1set  
1set  
1set  
1set  
1set

Toilet indicator w/ solid rose



**Item no.:** 14347002101  
14347002055  
14347002152  
14346902150  
14347002501  
14347002306  
**Description:** 5V180 (B), Ø50mm, CC27mm (A)  
5V90 (B), Ø50mm, CC27(A)x9.5mm, f/Boda  
5V90 (B), Ø50mm, CC30(A)x5.5mm, f/Assa  
5V90 (B), Ø50mm, CC30(A)x5.5mm, w/allen key opening  
6L90 (B), Ø50mm, CC38mm (A), f/31-47mm doors  
8L90 (B), CC38mm (A)  
**Unit:** 1set  
1set  
1set  
1set  
1set  
1set

Break glass dome



|                  |  |              |
|------------------|--|--------------|
| <b>Item no.:</b> | <b>Description:</b>                                  | <b>Unit:</b> |
| 14342000003      | $\varnothing 52(A) \times 28(B)$ mm                  | 1pcs         |
| 14342074007      | $\varnothing 57(A) \times 33(B)$ mm, internal f/Assa | 1pcs         |









# Pulls and accessories



For their simplicity, modernity and classicism, d line pull handles have long been the preferred finishing touches. Long and lean, our pull handles for cabinets and doors are pure and simple, both in their function and in their form. Because of this – and because of the way they’re made and the material they’re made of – they will never fail on either front.

With our pull handles, the list of lengths are endless. That’s why you can choose a length within the intervals that we offer, and we will then meticulously cut them to size.

In this section you’ll find a curated overview of our most used pieces in resilient, non-corrosive AISI 316 stainless steel. For more specific lengths in mind, please contact [info@dline.com](mailto:info@dline.com).


Pull handles and their fixing accessories are provided separately. Match your pulls with accessories on page 142, or go to page 144 for a pull handle fixing guide for glass and timber doors.

Flush pull handle, round




|  |   |                              |
|--|---|------------------------------|
| <b>Item no.:</b><br>14390002051<br>14390002077 | <b>Description:</b><br>Ø50(A)mm<br>Ø80(A)mm | <b>Unit:</b><br>1pcs<br>1pcs |
|--|---|------------------------------|

Flush pull handle, oval





|  |   |                              |
|--|---|------------------------------|
| <b>Item no.:</b><br>14395002105<br>14395002164 | <b>Description:</b><br>50(A)x102(B)mm<br>58(A)x175(B)mm | <b>Unit:</b><br>1pcs<br>1pcs |
|--|---|------------------------------|

Flush pull handle, square




|                                 |                                  |                      |
|---------------------------------|----------------------------------|----------------------|
| <b>Item no.:</b><br>14397002111 | <b>Description:</b><br>175x175mm | <b>Unit:</b><br>1pcs |
|---------------------------------|----------------------------------|----------------------|

Duct pull handle




|                                 |  |                      |
|---------------------------------|--|----------------------|
| <b>Item no.:</b><br>14391002001 | <b>Description:</b><br>Ø80mm, CC38mm, w/ cover, f/8x8mm spindle and M4 section bolts | <b>Unit:</b><br>1pcs |
|---------------------------------|--|----------------------|

Flush pull handle, round – w/ toilet indicator




| Item no.:   | Description:               | Unit: |
|-------------|----------------------------|-------|
| 14397402095 | 5V90, Ø50mm, w/5mm spindle | 1set  |
| 14397402098 | 8L90, Ø50mm, w/8mm spindle | 1set  |

Cabinet handle, Ø25




| Item no.:   | Description:        | Unit: |
|-------------|---------------------|-------|
| 14560002107 | Ø25x21mm, thread M5 | 1pcs  |

Cabinet handle





| Item no.:   | Description:                | Unit: |
|-------------|-----------------------------|-------|
| 14381602011 | Ø10(A)x17.5(B)mm, thread M5 | 1pcs  |
| 14561002101 | Ø14(A)x23(B)mm, thread M5   | 1pcs  |

Cabinet handle, round




| Item no.:   | Description:              | Unit: |
|-------------|---------------------------|-------|
| 14382202024 | Ø10x32mm, projection 32mm | 1pcs  |

Cabinet handle, straight





| Item no.:   | Description:            | Unit: |
|-------------|-------------------------|-------|
| 14381202098 | Ø10x96(A)mm, thread M5  | 1pcs  |
| 14381202136 | Ø10x128(A)mm, thread M5 | 1pcs  |
| 14381202225 | Ø10x224(A)mm, thread M5 | 1pcs  |
| 14381202322 | Ø10x320(A)mm, thread M5 | 1pcs  |
| 14381202411 | Ø10x416(A)mm, thread M5 | 1pcs  |
| 14381202519 | Ø10x512(A)mm, thread M5 | 1pcs  |

Pull handle w/ PZ cylinder



| Item no.:   | Description: | Unit: |
|-------------|--------------|-------|
| 14401002290 | 85x50x3 mm   | 1pcs  |


Pull handle, cranked



| Item no.:   | Description:                           | Unit: |
|-------------|--|-------|
| 14403202127 | Ø14(A)x125(B)mm, thread M8             | 1pcs  |
| 14403202305 | Ø14(A)x300(B)mm, thread M8             | 1pcs  |
| 14403202658 | Ø14(A)x650(B)mm, thread M8             | 1pcs  |
| 14403402126 | Ø14(A)x125(B)mm, bush                  | 1pcs  |
| 14403402304 | Ø14(A)x300(B)mm, bush                  | 1pcs  |
| 14403402657 | Ø14(A)x650(B)mm, Bush                  | 1pcs  |
| 14423202123 | Ø19(A)x125(B)mm, thread M8             | 1pcs  |
| 14423202301 | Ø19(A)x300(B)mm, thread M8             | 1pcs  |
| 14423202405 | Ø19(A)x400(B)mm, thread M8             | 1pcs  |
| 14423202654 | Ø19(A)x650(B)mm, thread M8             | 1pcs  |
| 14423202719 | Ø19(A)mm, 0301 - 0400(B)mm, thread M8  | 1pcs  |
| 14423202778 | Ø19(A)mm, 0901 - 1000(B)mm, thread M8  | 1pcs  |
| 14423402122 | Ø19(A)x125(B)mm, bush                  | 1pcs  |
| 14423402301 | Ø19(A)x300(B)mm, bush                  | 1pcs  |
| 14423402404 | Ø19(A)x400(B)mm, bush                  | 1pcs  |
| 14423402653 | Ø19(A)x650(B)mm, bush                  | 1pcs  |
| 14423402718 | Ø19(A)mm, 0301 - 0400(B)mm, bush       | 1pcs  |
| 14423402777 | Ø19(A)mm, 0901 - 1000(B)mm, Bush       | 1pcs  |
| 14443202308 | Ø25(A)x300(B)mm, thread M10            | 1pcs  |
| 14443202651 | Ø25(A)x650(B)mm, thread M10            | 1pcs  |
| 14443202766 | Ø25(A)mm, 0801 - 0900(B)mm, thread M10 | 1pcs  |
| 14443202774 | Ø25(A)mm, 0901 - 1000(B)mm, thread M10 | 1pcs  |
| 14443202799 | Ø25(A)mm, 1201 - 1300(B)mm, tread M10  | 1pcs  |
| 14443402307 | Ø25(A)x300(B)mm, bush                  | 1pcs  |
| 14443402650 | Ø25(A)x650(B)mm, bush                  | 1pcs  |
| 14443402765 | Ø25(A)mm, 0801 - 0900(B)mm, bush       | 1pcs  |
| 14443402773 | Ø25(A)mm, 0901 - 1000(B)mm, bush       | 1pcs  |
| 14443402800 | Ø25(A)mm, 1201 - 1300(B)mm, bush       | 1pcs  |
| 14463202304 | Ø32(A)x300(B)mm, thread M12            | 1pcs  |
| 14463202657 | Ø32(A)x650(B)mm, thread M12            | 1pcs  |
| 14463202795 | Ø32(A)mm, 1101 - 1200(B)mm, thread M12 | 1pcs  |
| 14463402303 | Ø32(A)x300(B)mm, bush                  | 1pcs  |
| 14463402656 | Ø32(A)x650(B)mm, bush                  | 1pcs  |
| 14463402794 | Ø32(A)mm, 1101 - 1200(B)mm, bush       | 1pcs  |




Pull handle, straight




| Item no.:   | Description:                           | Unit: |
|-------------|--|-------|
| 14401202120 | Ø14(A)x125(B)mm, thread M8             | 1pcs  |
| 14401202308 | Ø14(A)x300(B)mm, thread M8             | 1pcs  |
| 14401202651 | Ø14(A)x650(B)mm, thread M8             | 1pcs  |
| 14401202723 | Ø14(A)mm, 0401 - 0500(B)mm, thread M8  | 1pcs  |
| 14401402129 | Ø14(A)x125(B)mm, bush                  | 1pcs  |
| 14401402307 | Ø14(A)x300(B)mm, bush                  | 1pcs  |
| 14401402650 | Ø14(A)x650(B)mm, bush                  | 1pcs  |
| 14401402722 | Ø14(A)mm, 0401 - 0500(B)mm, bush       | 1pcs  |
| 14421202126 | Ø19(A)x125(B)mm, thread M8             | 1pcs  |
| 14421202207 | Ø19(A)x200(B)mm, thread M8             | 1pcs  |
| 14421202304 | Ø19(A)x300(B)mm, thread M8             | 1pcs  |
| 14421202405 | Ø19(A)x400(B)mm, thread M8             | 1pcs  |
| 14421202450 | Ø19(A)x450(B)mm, thread M8             | 1pcs  |
| 14421202657 | Ø19(A)x650(B)mm, thread M8             | 1pcs  |
| 14421202738 | Ø19(A)mm, 0501-0600(B)mm, thread M8    | 1pcs  |
| 14421202746 | Ø19(A)mm, 0601-0700(B)mm, thread M8    | 1pcs  |
| 14421202754 | Ø19(A)mm, 0701-0800(B)mm, thread M8    | 1pcs  |
| 14421202762 | Ø19(A)mm, 0801-0900(B)mm, thread M8    | 1pcs  |
| 14421202771 | Ø19(A)mm, 0901-1000(B)mm, thread M8    | 1pcs  |
| 14421402125 | Ø19(A)x125(B)mm, bush                  | 1pcs  |
| 14421402206 | Ø19(A)x200(B)mm, bush                  | 1pcs  |
| 14421402303 | Ø19(A)x300(B)mm, bush                  | 1pcs  |
| 14421402404 | Ø19(A)x400(B)mm, bush                  | 1pcs  |
| 14421402450 | Ø19(A)x450(B)mm, bush                  | 1pcs  |
| 14421402656 | Ø19(A)x650(B)mm, bush                  | 1pcs  |
| 14421402737 | Ø19(A)mm, 0501-0600(B)mm, bush         | 1pcs  |
| 14421402745 | Ø19(A)mm, 0601-0700(B)mm, bush         | 1pcs  |
| 14421402753 | Ø19(A)mm, 0701-0800(B)mm, bush         | 1pcs  |
| 14421402761 | Ø19(A)mm, 0801-0900(B)mm, bush         | 1pcs  |
| 14421402770 | Ø19(A)mm, 0901-1000(B)mm, bush         | 1pcs  |
| 14421802301 | Ø19(A)x300(B)mm, W/ thread M8 and bush | 1pcs  |
| 14421802654 | Ø19(A)x650(B)mm, W/ thread M8 and bush | 1pcs  |
| 14441202301 | Ø25(A)x300(B)mm, thread M10            | 1pcs  |
| 14441202653 | Ø25(A)x650(B)mm, thread M10            | 1pcs  |
| 14441202815 | Ø25(A)mm, 1301 - 1400(A)mm, thread M10 | 1pcs  |
| 14441402300 | Ø25(A)x300(B)mm, bush                  | 1pcs  |
| 14441402652 | Ø25(A)x650(B)mm, bush                  | 1pcs  |
| 14441402814 | Ø25(A)mm, 1301 - 1400(B)mm, bush       | 1pcs  |
| 14461202307 | Ø32(A)x300(B)mm, thread M12            | 1pcs  |
| 14461202650 | Ø32(A)x650(B)mm, thread M12            | 1pcs  |
| 14461202722 | Ø32(A)mm, 0401 - 0500(B)mm, thread M12 | 1pcs  |
| 14461202731 | Ø32(A)mm, 0501 - 0600(B)mm, thread M12 | 1pcs  |
| 14461402306 | Ø32(A)x300(B)mm, bush                  | 1pcs  |
| 14461402659 | Ø32(A)x650(B)mm, bush                  | 1pcs  |
| 14461402721 | Ø32(A)mm, 0401 - 0500(B)mm, bush       | 1pcs  |
| 14461402730 | Ø32(A)mm, 0501 - 0600(B)mm, bush       | 1pcs  |

Pull handle, heavy straight



| Item no.:   | Description:                           | Unit: |
|-------------|--|-------|
| 14431202700 | Ø20(A)mm, 0000 - 0300(B)mm, thread M10 | 1pcs  |
| 14431202712 | Ø20(A)mm, 0301 - 0500(B)mm, thread M10 | 1pcs  |
| 14431202724 | Ø20(A)mm, 0501 - 0700(B)mm, Thread M10 | 1pcs  |
| 14431402701 | Ø20(A)mm, 0000 - 0300(B)mm, bush       | 1pcs  |
| 14431402713 | Ø20(A)mm, 0301 - 0500(B)mm, bush       | 1pcs  |
| 14431402725 | Ø20(A)mm, 0501 - 0700(B)mm, bush       | 1pcs  |
| 14461202010 | Ø32(A)mm, 0500 - 0700(B)mm, thread M12 | 1pcs  |
| 14461202044 | Ø32(A)mm, 1101 - 1300(B)mm, thread M12 | 1pcs  |
| 14461202109 | Ø32(A)mm, 1901 - 2000(B)mm, thread M12 | 1pcs  |
| 14461402019 | Ø32(A)mm, 0500 - 0700(B)mm, bush       | 1pcs  |
| 14461402043 | Ø32(A)mm, 1101 - 1300(B)mm, bush       | 1pcs  |
| 14461402108 | Ø32(A)mm, 1901 - 2000(B)mm, bush       | 1pcs  |
| 14481202010 | Ø38(A)mm, 0000 - 0700(B)mm, thread M12 | 1pcs  |
| 14481202028 | Ø38(A)mm, 0701 - 0900(B)mm, thread M12 | 1pcs  |
| 14481202036 | Ø38(A)mm, 0901 - 1100(B)mm, thread M12 | 1pcs  |
| 14481202044 | Ø38(A)mm, 1101 - 1300(B)mm, thread M12 | 1pcs  |
| 14481202052 | Ø38(A)mm, 1301 - 1500(B)mm, thread M12 | 1pcs  |
| 14481202061 | Ø38(A)mm, 1501 - 1600(B)mm, thread M12 | 1pcs  |
| 14481202087 | Ø38(A)mm, 1701 - 1800(B)mm, thread M12 | 1pcs  |
| 14481202109 | Ø38(A)mm, 1901 - 2000(B)mm, thread M12 | 1pcs  |
| 14481202125 | Ø38(A)mm, 2101 - 2200(B)mm, thread M12 | 1pcs  |
| 14481202133 | Ø38(A)mm, 2201 - 2300(B)mm, thread M12 | 1pcs  |
| 14481202141 | Ø38(A)mm, 2301 - 2400(B)mm, thread M12 | 1pcs  |
| 14481202150 | Ø38(A)mm, 2401 - 2500(B)mm, thread M12 | 1pcs  |
| 14481202168 | Ø38(A)mm, 2501 - 2600(B)mm, thread M12 | 1pcs  |
| 14481202170 | Ø38(A)mm, 2601 - 2700(B)mm, thread M12 | 1pcs  |
| 14481202180 | Ø38(A)mm, 2701 - 2800(B)mm, thread M12 | 1pcs  |
| 14481202190 | Ø38(A)mm, 2801 - 2900(B)mm, thread M12 | 1pcs  |
| 14481202200 | Ø38(A)mm, 2901 - 3000(B)mm, thread M12 | 1pcs  |
| 14481402019 | Ø38(A)mm, 0000 - 0700(B)mm, bush       | 1pcs  |
| 14481402027 | Ø38(A)mm, 0701 - 0900(B)mm, bush       | 1pcs  |
| 14481402035 | Ø38(A)mm, 0901 - 1100(B)mm, bush       | 1pcs  |
| 14481402043 | Ø38(A)mm, 1101 - 1300(B)mm, bush       | 1pcs  |
| 14481402051 | Ø38(A)mm, 1301 - 1500(B)mm, bush       | 1pcs  |
| 14481402060 | Ø38(A)mm, 1501 - 1600(B)mm, bush       | 1pcs  |
| 14481402086 | Ø38(A)mm, 1701 - 1800(B)mm, bush       | 1pcs  |
| 14481402108 | Ø38(A)mm, 1901 - 2000(B)mm, bush       | 1pcs  |
| 14481402124 | Ø38(A)mm, 2101 - 2200(B)mm, bush       | 1pcs  |
| 14481402132 | Ø38(A)mm, 2201 - 2300(B)mm, bush       | 1pcs  |
| 14481402141 | Ø38(A)mm, 2301 - 2400(B)mm, bush       | 1pcs  |
| 14481402159 | Ø38(A)mm, 2401 - 2500(B)mm, bush       | 1pcs  |
| 14481402167 | Ø38(A)mm, 2501 - 2600(B)mm, bush       | 1pcs  |
| 14481402170 | Ø38(A)mm, 2601 - 2700(B)mm, bush       | 1pcs  |
| 14481402180 | Ø38(A)mm, 2701 - 2800(B)mm, bush       | 1pcs  |
| 14481402190 | Ø38(A)mm, 2801 - 2900(B)mm, bush       | 1pcs  |
| 14481402200 | Ø38(A)mm, 2901 - 3000(B)mm, bush       | 1pcs  |

Pull handle, mitred





| Item no.:   | Description:                     | Unit: |
|-------------|----------------------------------|-------|
| 14402202125 | 14FF, Ø14(A)x125(B)mm, thread M8 | 1pcs  |
| 14402202300 | 14FF, Ø14(A)x300(B)mm, thread M8 | 1pcs  |
| 14402202650 | 14FF, Ø14(A)x650(B)mm, thread M8 | 1pcs  |
| 14402402125 | 14FF, Ø14(A)x125(B)mm, bush      | 1pcs  |
| 14402402300 | 14FF, Ø14(A)x300(B)mm, bush      | 1pcs  |
| 14402402650 | 14FF, Ø14(A)x650(B)mm, bush      | 1pcs  |
| 14422202200 | 19FF, Ø19(A)x200(B)mm, thread M8 | 1pcs  |
| 14422202300 | 19FF, Ø19(A)x300(B)mm, thread M8 | 1pcs  |
| 14422202400 | 19FF, Ø19(A)x400(B)mm, thread M8 | 1pcs  |
| 14422202650 | 19FF, Ø19(A)x650(B)mm, thread M8 | 1pcs  |
| 14422402200 | 19FF, Ø19(A)x200(B)mm, bush      | 1pcs  |
| 14422402300 | 19FF, Ø19(A)x300(B)mm, bush      | 1pcs  |
| 14422402400 | 19FF, Ø19(A)x400(B)mm, bush      | 1pcs  |
| 14422402650 | 19FF, Ø19(A)x650(B)mm, bush      | 1pcs  |

Pull handle, straight – on back plate




Pull handle, circular



| Item no.:   | Description:                                  | Unit: |
|-------------|---|-------|
| 14405202124 | Ø14(A)x125(B)mm, thread M8                    | 1pcs  |
| 14405402123 | Ø14(A)x125(B)mm, bush                         | 1pcs  |
| 14425202201 | Ø19(A)x200(B)mm, thread M8                    | 1pcs  |
| 14425402201 | Ø19(A)x200(B)mm, bush                         | 1pcs  |
| 14465202301 | Ø32(A)x300(B)mm, thread M12                   | 1pcs  |
| 14465402301 | Ø32(A)x300(B)mm, bush                         | 1pcs  |
| 14401102125 | Ø14(A)x125(B)mm, on back plate 175x60(C)x2mm  | 1pcs  |
| 14401302124 | Ø14(A)x125(B)mm, on back plate 175x175(C)x2mm | 1pcs  |
| 14421102121 | Ø19(A)x125(B)mm, on back plate 175x60(C)x2mm  | 1pcs  |
| 14421302121 | Ø19(A)x125(B)mm, on back plate 175x175(C)x2mm | 1pcs  |


Pull handles  
accessories

Allen key bolt




| Item no.:   | Description:                | Unit: |
|-------------|-----------------------------|-------|
| 14490202405 | M8x40(A)mm, DIN 7991 RS A4  | 1pcs  |
| 14490202502 | M8x50(A)mm, DIN 7991 RS A4  | 1pcs  |
| 14490202600 | M8x60(A)mm, DIN 7991 RS A4  | 1pcs  |
| 14490302604 | M10x60(A)mm, DIN 7991 RS A4 | 1pcs  |
| 14490402609 | M12x60(A)mm, DIN 7991 RS A4 | 1pcs  |
| 14970602670 | M6x70(A)mm, w/unbraco       | 1pcs  |

Hexagon head bolt




| Item no.:   | Description:   | Unit: |
|-------------|----------------|-------|
| 14491092808 | Ø8(A)x80(B)mm  | 1pcs  |
| 14491191601 | Ø10(A)x60(B)mm | 1pcs  |

Thrust rose




| Item no.:   | Description                                  | Unit: |
|-------------|--|-------|
| 14496002084 | Ø30(A)x2(B)mm, hole 8.2mm                    | 1pcs  |
| 14495302009 | Ø30(A)x2(B)mm, w/bush, Ø11x21.5mm            | 1pcs  |
| 14496102089 | Ø50(A)x3(B)mm, hole 8.2mm, f/Ø19-25mm pulls  | 1pcs  |
| 14496102101 | Ø50(A)x3(B)mm, hole 10.2mm, f/Ø19-25mm pulls | 1pcs  |
| 14496102127 | Ø50(A)x3(B)mm, hole 12.2mm, f/Ø32-38mm pulls | 1pcs  |

Machine screw




| Item no.:   | Description:                         | Unit: |
|-------------|--------------------------------------|-------|
| 14970602063 | M3x6(A)mm, DIN7985                   | 1pcs  |
| 14490092201 | M5x20(A)mm, f/cabinet handle, DIN967 | 1pcs  |
| 14490092308 | M5x30(A)mm, f/cabinet handle, DIN967 | 1pcs  |

Threaded bolt




| Item no.:   | Description:                                  | Unit: |
|-------------|---|-------|
| 14492002306 | M8x30(A)mm, w/cylinder head (pig nose bolt)   | 1pcs  |
| 14492002608 | M8x60(A)mm, w/cylinder head (pig nose bolt)   | 1pcs  |
| 14492002900 | M8x90(A)mm, w/cylinder head (pig nose bolt)   | 1pcs  |
| 14492202607 | M10x60(A)mm, w/cylinderhead (pig nose bolt)   | 1pcs  |
| 14492202909 | M10x90(A)mm, w/cylinder head (pig nose bolt)  | 1pcs  |
| 14492102301 | M12x30(A)mm, w/cylinder head (pig nose bolt)  | 1pcs  |
| 14492102602 | M12x60(A)mm, w/cylinder head (pig nose bolt)  | 1pcs  |
| 14492102106 | M12x100(A)mm, w/cylinder head (pig nose bolt) | 1pcs  |

Bush head screw f/wood




| Item no.:   | Description:                    | Unit: |
|-------------|---------------------------------|-------|
| 14495592309 | Ø10x8x30(A)mm, f/Ø14/19mm pulls | 1pcs  |
| 14495592554 | Ø10x8x55(A)mm, f/Ø14/19mm pulls | 1pcs  |

Fittings f/ glass door




| Item no.:   | Description:                                | Unit: |
|-------------|---|-------|
| 14496500301 | F/Ø19mm pulls                               | 1set  |
| 14496500351 | F/Ø25mm pulls                               | 1set  |
| 14496500505 | F/Ø32/38mm pulls                            | 1set  |
| 14496500408 | F/Ø14/19mm pulls that has Ø30mm thrust rose | 1set  |
| 14496500700 | F/Ø32/38mm pulls that has Ø50mm thrust rose | 1set  |

Bush head bolt












| Item no.:   | Description:                   |
|-------------|--------------------------------|
| 14491592380 | M8x30(A)mm, f/Ø14/19mm pulls   |
| 14491592584 | M8x58(A)mm, f/Ø14/19mm pulls   |
| 14491592983 | M8x98(A)mm, f/Ø14/19mm pulls   |
| 14491592991 | M8x120(A)mm, f/Ø14/19mm pulls  |
| 14491792109 | M10x100(A)mm, f/Ø25/20mm pulls |
| 14491792605 | M10x60(A)mm, f/Ø25/20mm pulls  |
| 14491692104 | M12x100(A)mm, f/Ø32/38mm pulls |
| 14491692309 | M12x30(A)mm, f/Ø32/38mm pulls  |
| 14491692601 | M12x60(A)mm, f/Ø32/38mm pulls  |

Bush f/ pulls












| Item no.:   | Description:                                     | Unit: |
|-------------|--|-------|
| 14495000002 | Ø10.9(A)x22x5.5mm, f/Ø14/19mm pulls, countersunk | 1pcs  |
| 14495492002 | Ø19.9(A)x22x10mm, f/Ø32/38mm pulls, countersunk  | 1pcs  |

Pull handle fixing guide  
accessories f/ pulls, Ø14 & Ø19mm

|   | Description | Item no.     | Length                     | Qty   |
|---|-------------|--------------|----------------------------|-------|
| <div>Machine screw</div>   | Screw       | 14490202308  | 30mm                       | 2 Pcs |
|   |             | 14490202405  | 40mm                       | 2 Pcs |
|   |             | 14490202502  | 50mm                       | 2 Pcs |
|   |             | 14490202600  | 60mm                       | 2 Pcs |
|   |             | 14496002084  | Thrust rose, Ø50mm         | 2 Pcs |
|                            | Screw       | 14490202308  | 30                         | 2 Pcs |
|   |             | 14490202405  | 40                         | 2 Pcs |
|   |             | 14490202502  | 50                         | 2 Pcs |
|   |             | 14490202600  | 60                         | 2 Pcs |
|   |             |              |                            |       |
| <div>Pignose bolt</div>    | Bolt        | 14492002306  | 30                         | 2 Pcs |
|   |             | 14492002608  | 60                         | 2 Pcs |
|   |             | 14492002900  | 90                         | 2 Pcs |
|   |             | 14496002084  | Thrust rose, Ø30           | 2 Pcs |
|   |             |              |                            |       |
|                           | Timber      | 14496002084  | Glass fitting f/trust rose | 2 Pcs |
|   |             | 14496500408  |                            | 1 Pcs |
|   |             |              |                            |       |
|   |             |              |                            |       |
|   |             |              |                            |       |
| <div>Coach screw</div>   | Bolt        | 14492002306  | 30                         | 2 Pcs |
|   |             | 14492002608  | 60                         | 2 Pcs |
|   |             | 14492002900  | 90                         | 2 Pcs |
|   |             | 14496500106  | Glass fitting, Ø14         | 1 Pcs |
|   |             | 14496500301  | Glass fitting , Ø19        | 1 Pcs |
|                          | *Glas       | 14496500106  | Glass fitting, Ø14         | 1 Pcs |
|   |             | 14496500301  | Glass fitting , Ø19        | 1 Pcs |
|   |             |              |                            |       |
|   |             |              |                            |       |
|   |             |              |                            |       |
| <div>Coach screw</div>   | Screw       | 14495592309  | 30                         | 2 Pcs |
|   |             | 14495592554  | 55                         | 2 Pcs |
|   |             | 14495000002  |                            | 2 Pcs |
|   |             | 14496002084  | Thrust rose, Ø30           | 2 Pcs |
|   |             |              |                            |       |
|                          | Bush        | 14495592309  | 60                         | 2 Pcs |
|   |             | 14495592554  | 80                         | 2 Pcs |
|   |             | 14495000002  |                            | 2 Pcs |
|   |             |              |                            |       |
|   |             |              |                            |       |
| <div>Back to back</div>  | Screw       | 14491592380  | 30                         | 2 Pcs |
|   |             | 14491592584  | 58                         | 2 Pcs |
|   |             | 14491592983  | 98                         | 2 Pcs |
|   |             | 14491592991  | 120                        | 2 Pcs |
|   |             | 14496002084  | Thrust rose, Ø30           | 4 Pcs |
|                          | Timber      | 14496002084  | Thrust rose, Ø30           | 4 Pcs |
|   |             | 144965002084 |                            | 1 Pcs |
|   |             |              |                            |       |
|   |             |              |                            |       |
|   |             |              |                            |       |
| <div>Back to back</div>  | *Glass      | 14496002084  | Thrust rose, Ø30           | 4 Pcs |
|   |             | 14496500408  |                            | 1 Pcs |
|   |             |              |                            |       |
|   |             |              |                            |       |
|   |             |              |                            |       |
|                          | Bolt        | 14491592380  | 30                         | 2 Pcs |
|   |             | 14491592584  | 58                         | 2 Pcs |
|   |             | 14491592983  | 98                         | 2 Pcs |
|   |             | 14491592991  | 12                         | 2 Pcs |
|   |             |              |                            |       |
|                          | *Glass      | 14496500106  | Ø14                        | 1 Pcs |
|   |             | 14496500301  | Ø19                        | 1 Pcs |
|   |             |              |                            |       |
|   |             |              |                            |       |
|   |             |              |                            |       |

\*For glass doors with predrilled Ø12mm hole

Pull handle fixing guide  
accessories f/ pulls, Ø25mm










|   | Description | Item no.     | Length                     | Qty   |
|---|-------------|--------------|----------------------------|-------|
| <div>Machine screw</div>   | Screw       | 14490202308  | 30mm                       | 2 Pcs |
|   |             | 14490202405  | 40mm                       | 2 Pcs |
|   |             | 14490202502  | 50mm                       | 2 Pcs |
|   |             | 14490202600  | 60mm                       | 2 Pcs |
|   |             | 14496002084  | Thrust rose, Ø50mm         | 2 Pcs |
|                            | Screw       | 14490202308  | 30                         | 2 Pcs |
|   |             | 14490202405  | 40                         | 2 Pcs |
|   |             | 14490202502  | 50                         | 2 Pcs |
|   |             | 14490202600  | 60                         | 2 Pcs |
|   |             |              |                            |       |
| <div>Pignose bolt</div>    | Bolt        | 14492002306  | 30                         | 2 Pcs |
|   |             | 14492002608  | 60                         | 2 Pcs |
|   |             | 14492002900  | 90                         | 2 Pcs |
|   |             | 14496002084  | Thrust rose, Ø30           | 2 Pcs |
|   |             |              |                            |       |
|                           | Timber      | 14496002084  | Glass fitting f/trust rose | 2 Pcs |
|   |             | 14496500408  |                            | 1 Pcs |
|   |             |              |                            |       |
|   |             |              |                            |       |
|   |             |              |                            |       |
| <div>Coach screw</div>   | Bolt        | 14492002306  | 30                         | 2 Pcs |
|   |             | 14492002608  | 60                         | 2 Pcs |
|   |             | 14492002900  | 90                         | 2 Pcs |
|   |             | 14496500106  | Glass fitting, Ø14         | 1 Pcs |
|   |             | 14496500301  | Glass fitting , Ø19        | 1 Pcs |
|                          | *Glas       | 14496500106  | Glass fitting, Ø14         | 1 Pcs |
|   |             | 14496500301  | Glass fitting , Ø19        | 1 Pcs |
|   |             |              |                            |       |
|   |             |              |                            |       |
|   |             |              |                            |       |
| <div>Coach screw</div>   | Screw       | 14495592309  | 30                         | 2 Pcs |
|   |             | 14495592554  | 55                         | 2 Pcs |
|   |             | 14495000002  |                            | 2 Pcs |
|   |             | 14496002084  | Thrust rose, Ø30           | 2 Pcs |
|   |             |              |                            |       |
|                          | Bush        | 14495592309  | 60                         | 2 Pcs |
|   |             | 14495592554  | 80                         | 2 Pcs |
|   |             | 14495000002  |                            | 2 Pcs |
|   |             |              |                            |       |
|   |             |              |                            |       |
| <div>Back to back</div>  | Screw       | 14491592380  | 30                         | 2 Pcs |
|   |             | 14491592584  | 58                         | 2 Pcs |
|   |             | 14491592983  | 98                         | 2 Pcs |
|   |             | 14491592991  | 120                        | 2 Pcs |
|   |             | 14496002084  | Thrust rose, Ø30           | 4 Pcs |
|                          | Timber      | 14496002084  | Thrust rose, Ø30           | 4 Pcs |
|   |             | 144965002084 |                            | 1 Pcs |
|   |             |              |                            |       |
|   |             |              |                            |       |
|   |             |              |                            |       |
| <div>Back to back</div>  | *Glass      | 14496002084  | Thrust rose, Ø30           | 4 Pcs |
|   |             | 14496500408  |                            | 1 Pcs |
|   |             |              |                            |       |
|   |             |              |                            |       |
|   |             |              |                            |       |
|                          | Bolt        | 14491592380  | 30                         | 2 Pcs |
|   |             | 14491592584  | 58                         | 2 Pcs |
|   |             | 14491592983  | 98                         | 2 Pcs |
|   |             | 14491592991  | 12                         | 2 Pcs |
|   |             |              |                            |       |
|                          | *Glass      | 14496500106  | Ø14                        | 1 Pcs |
|   |             | 14496500301  | Ø19                        | 1 Pcs |
|   |             |              |                            |       |
|   |             |              |                            |       |
|   |             |              |                            |       |

\*For glass doors with predrilled Ø14mm hole



Pull handle fixing guide

accessories f/ pulls, Ø32 & Ø38 mm

|               | Description   | Item no.    | Length           | Qty   |
|---------------|---|-------------|------------------|-------|
| Machine screw |    | 14490402501 | 50               | 2 Pcs |
|               |   | 14490402609 | 60               | 2 Pcs |
|               |   | 14496102127 | Thrust rose, Ø50 | 2 Pcs |
|               |    | 14490402501 | 50               | 2 Pcs |
|               |   | 14490402609 | 60               | 2 Pcs |
|               |   |             |                  |       |
| Pignose bolt  |    | 14492102301 | 30               | 2 Pcs |
|               |   | 14492102602 | 60               | 2 Pcs |
|               |   | 14492102106 | 100              | 2 Pcs |
|               |   | 14496500700 | Thrust rose, Ø50 | 2 Pcs |
|               |   |             | Ø32/38 w/50 rose | 2 Pcs |
|               |   |             |                  |       |
| Coach screw   |  | 14492102301 | 30               | 2 Pcs |
|               |   | 14492102602 | 60               | 2 Pcs |
|               |   | 14492102106 | 100              | 2 Pcs |
|               |  | 14496500505 | Thrust rose, Ø50 | 1 Pcs |
|               |   |             | Ø32/38           |       |
|               |   |             |                  |       |
| Coach screw   |  | 14491191601 | 60               | 2 Pcs |
|               |   | 14491191806 | 80               | 2 Pcs |
|               |   | 14495492002 | Thrust rose, Ø50 | 2 Pcs |
|               |  | 14496102127 | Thrust rose, Ø50 | 2 Pcs |
|               |   |             |                  |       |
|               |   |             |                  |       |
| Back to back  |  | 14491191601 | 60               | 2 Pcs |
|               |   | 14491191806 | 80               | 2 Pcs |
|               |   | 14495492002 | Thrust rose, Ø50 | 2 Pcs |
|               |  | 14496102127 | Thrust rose, Ø50 | 2 Pcs |
|               |   |             |                  |       |
|               |   |             |                  |       |
| Back to back  |  | 14491692309 | 30               | 2 Pcs |
|               |   | 14491692601 | 60               | 2 Pcs |
|               |   | 14491692104 | 100              | 2 Pcs |
|               |  | 14496500700 | Thrust rose, Ø50 | 2 Pcs |
|               |   |             | Ø32/38 w/50 rose | 4 Pcs |
|               |   |             |                  |       |
|               |  | 14496500700 | Thrust rose, Ø50 | 2 Pcs |
|               |   |             | Ø32/38 w/50 rose | 4 Pcs |
|               |   |             |                  |       |
|               |  | 14496500505 | Thrust rose, Ø50 | 1 Pcs |
|               |   |             | Ø32/38           |       |
|               |   |             |                  |       |

\*For glass doors with predrilled Ø16mm hole
















# Knob handles










Turn, twist or pull; our family of door knobs offers a solution for every kind of aesthetic and need. Available as part of our Hardware – so named because its products are designed for constant use.

Choose between dummy function (fixed installation for a push/pull effect), with a spindle (for latch and release), on a rose or on a backplate. The options are numerous, and in this section, you'll find an overview of some the possibilities offered within our portfolio of knob handles with its supporting partners.

We're proud to say that pieces like this never need to be bought for a purpose more than once.



|                         |   |   |   |   |   |   |   |   |   |
|-------------------------|---|---|---|---|---|---|---|---|---|
| <div>Knob handles</div> | Pair with   |   | 14325802381<br>Rose f/dummy knob<br>Ø50mm w/<br>snap on cover,<br>CC38mm w/M4<br>bush | 14325902900<br>Rose f/dummy knob<br>Ø50mm w/<br>snap on cover,<br>CC30/38mm w/<br>fixed spindle | 14325902101<br>Rose f/dummy knob<br>Ø50mm, LH,<br>solid, CC30mm<br>w/8x8mm<br>spindle | 14325902102<br>Rose f/dummy knob<br>Ø50mm, RH,<br>solid, CC30mm<br>w/8x8mm<br>spindle | 14325902203<br>Rose f/dummy knob<br>Ø50mm, solid,<br>CC38mm<br>w/8x8mm<br>spindle   | 14326702900<br>Rose f/dummy oval<br>30x65mm, w/<br>snap on cover,<br>CC50mm<br>w/8x8mm<br>spindle | 14326702400<br>Rose f/dummy oval<br>30x65mm, solid,<br>CC50mm<br>w/8x8mm<br>spindle |
|                         |   |   |      |                |      |      |  |                |  |
|                         | 14171002800<br>Knob handle<br>Offset<br>dummy w/M6<br>threaded bolt           |    | ●   |   |   |   |   |   |   |
|                         | 14171002908<br>Knob handle<br>Offset<br>half w/o rose<br>f/8x8mm              |    |   | ●   | ●   | ●   | ●   | ●   | ●   |
|                         | 14301002800<br>Cylindrical<br>Knob Handle<br>dummy w/o<br>rose, w/M6          |  | ●   |   |   |   |   |   |   |
|                         | 14301002900<br>Cylindrical<br>Knob Handle<br>w/o rose<br>f/8x8mm              |  |   | ●   | ●   | ●   | ●   | ●   | ●   |
|                         | 14311002800<br>Ball knob<br>handle<br>Ø50 half set<br>f/dummy<br>function M6" |  | ●   |   |   |   |   |   |   |
|                         | 14311002900<br>Ball knob<br>handle<br>half set w/o<br>rose, f/8x8mm           |  |   | ●   | ●   | ●   | ●   | ●   | ●   |

|   |   |  |   |   |   |   |   |   |
|---|---|--|---|---|---|---|---|---|
| 14355002010<br>Back plate w/<br>dummy function<br>w/o cylinder hole,<br>210x60x3mm  | 14355002290<br>Back plate w/<br>dummy function<br>w/hole f/cylinder<br>ring, X= 111mm | 14355002130<br>Back plate w/<br>dummy function,<br>w/thumb turn,<br>X=105mm,<br>210x60mm | 14357502038 LH<br>14357502020 RH<br>Back plate AE w/<br>dummy function<br>175x175x3mm | 14357502305 LH<br>14357502313 RH<br>Back plate CH w/<br>dummy function<br>175x175x3mm | 14357502151 LH<br>14357502143 RH<br>Back plate GE w/<br>dummy function<br>175x175x3mm | 14350202010<br>Back plate AA<br>w/dummy<br>function<br>210x60x3mm<br>f/DIN          | 14350102182<br>Back plate AA<br>w/dummy<br>function<br>210x42x3mm<br>f/DIN          | 14351502010<br>Back plate<br>AA w/dummy<br>function<br>210x30x3mm<br>f/DIN          |
|  |    |       |    |    |    |  |  |  |
| ●   | ●   | ●  | ●   | ●   | ●   | ●   | ●   | ●   |
|   |   |  |   |   |   |   |   |   |
| ●   | ●   | ●  | ●   | ●   | ●   | ●   | ●   | ●   |
|   |   |  |   |   |   |   |   |   |
|   |   |  |   |   |   |   |   |   |
| ●   | ●   | ●  | ●   | ●   | ●   | ●   | ●   | ●   |
|   |   |  |   |   |   |   |   |   |
|   |   |  |   |   |   |   |   |   |
| ●   | ●   | ●  | ●   | ●   | ●   | ●   | ●   | ●   |
|   |   |  |   |   |   |   |   |   |
|   |   |  |   |   |   |   |   |   |

Please note: 175x175mm back plate illustrations are shown in right hand (RH).

























































# Back plates

Our lever handles find a supportive partner in the matching back plate by Knud Holscher. Beautifully proportioned, with a long section below the handle to support a hand pushing the door open, our plates are also realised in our signature satin stainless steel.

The finish is achieved through a laborious – but very worthwhile! – process of grinding and polishing four times.



| SKA back plates                                | 210x60x2mm   | 210x30x3mm, narrow   | 175x175x2mm, square*  |
|--|--|--|---|
| Blind  | <br>14370102008   | <br>14366002015                           | <br>14377602006                                  |
| AE w/lever hole<br>X=105 mm                    | <br>14365002011   | <br>14366002023                           | <br>14367502020 RH 14367502038 LH                |
| CE CF w/ oval cylinder<br>& lever hole         | <br>14365002097   | <br>14366002097 X=105 14366002031 X=115   | <br>14367502101 RH X=105<br>14367502119 LH X=105 |
| CH w/round cylinder<br>& lever hole            | <br>14365002291   |  | <br>14367502305 RH 14367502313 LH                |
| CH w/round cylinder w/o<br>lever hole          | <br>14365002280   |  | <br>14377602305 RH 14377602313 LH                |
| CH w/ 2x round cylinder holes<br>X=111         | <br>14365002170 |  | <br>14367502211 RH 14367502311 LH              |
| GF w/thumb turn<br>X=105                       | <br>14365002100 | <br>14366002066                         | <br>14367502250 RH 14367502350 LH              |
| GE w/thumb turn & lever hole<br>X=105          | <br>14365002135 | <br>14366002135 X=105 14366002040 X=115 | <br>14367502143 RH 14367502151 LH              |
| Toilet indicator w/ thumb turn VE5V90<br>X=105 | <br>14365002453 |  | <br>14367502461 RH 14367502470 LH              |
| Toilet indicator w/ marking TE5V90<br>X=105    | <br>14365002411 |  | <br>14367502429 RH 14367502437 LH              |


| DIN back plates            | 210x60x2mm  | 210x42x2mm   | 170x60x2mm  | 175x175x2mm, square*  | 175x175x2mm, square*  |
|----------------------------|---|--|---|---|---|
| Blind                      | <br>14370102008  | <br>14360102100   | <br>14361502005  | <br>14377602006  |   |
| AA w/lever hole            | <br>14360202012  | <br>14360102101   | <br>14361502010  | <br>14362502021 RH<br>14362502030 LH   | <br>14363602020 RH<br>14363602038 LH             |
| W/PZ cylinder              | <br>14360202205 X=55<br>14360202250 X=70<br>14360202292 X=72<br>14360202381 X=88<br>14360202211 X=92   | <br>14360102355 X=55<br>14360102365 X=70<br>14360102372 X=72<br>14360102385 X=88<br>14360102395 X=92    | <br>14361502974 X=55<br>14361502280 X=70<br>14361502290 X=72<br>14361502383 X=88<br>14361502292 X=92   | <br>14362502205 X=55 RH<br>14362502213 X=55 LH<br>14362502307 X=72 RH<br>14362502315 X=72 LH   | <br>14363602305 X=72 RH<br>14363602313 X=72 LH   |
| Toilet indicator<br>VA8L90 | <br>14360202450 X=55<br>14360202453 X=57<br>14360202460 X=63<br>14360202454 X=72<br>14360202551 X=78 | <br>14360102455, X=55<br>14360102457 X=57<br>14360102463 X=63<br>14360102472 X=72<br>14360102478 X=78 | <br>14361502455 X=55<br>14361502457 X=57<br>14361502463 X=63<br>14361502472 X=72<br>14361502516 X=78 | <br>14362502477 X=63 RH<br>14362502476 X=63 LH<br>14362502480 X=72 RH<br>14362502498 X=72 LH | <br>14363602569 X=78 RH<br>14363602577 X=78 LH |
| Toilet indicator<br>TB8L90 | <br>14360202403 X=55<br>14360202407 X=57<br>14360202409 X=63<br>14360202411 X=72<br>14360202519 X=78 | <br>14360102405 X=55<br>14360102407 X=57<br>14360102410 X=63<br>14360102413 X=72<br>14360102417 X=78  | <br>14361502405 X=55<br>14361502407 X=57<br>14361502410 X=63<br>14361502413 X=72<br>14361502417 X=78 | <br>14362502441 X=63 RH<br>14362502445 X=63 LH<br>14362502447 X=72 RH<br>14362502455 X=72 LH | <br>14363602526 X=78 RH<br>14363602534 X=78 LH |
| W/oval key hole            | <br>14360202050 X=57<br>14360202055 X=72<br>14360202060 X=92   | <br>14360102256 X=57<br>14360102272 X=72<br>14360102292 X=92  | <br>14361502050 X=57<br>14361502052 X=72   | <br>14362502105 X=57 RH<br>14362502110 X=57 LH<br>14362502115 X=72 RH<br>14362502120 X=72 LH | <br>14363602062 X=72 RH<br>14363602071 X=72 LH |

\*Square 175x175mm back plate illustrations are shown in right hand (RH).

# Locks and hinges


Our locks and hinges are realised in tough, hardworking materials – to be used, turned, pulled, pushed, pressed, flipped and hung from, forever.

Dead lock, round




**Item no.:** 14921602600  
**Description:** 60mm, PZ 72mm, w/strong spring + strike plate  
**Unit:** 1pcs

Dead lock, square




**Item no.:** 14921702600  
**Description:** 60mm, PZ 72mm, w/strong spring + strike plate  
**Unit:** 1pcs

Latch lock, round



**Item no.:** 14921402600  
**Description:** 60mm, w/strong spring + strike plate  
**Unit:** 1pcs

Latch lock, square



**Item no.:** 14921502600  
**Description:** 60mm, w/strong spring + strike plate  
**Unit:** 1pcs




Panic lock, round



Item no.: 14925002600  
Description: 60mm, PZ 72mm, w/strike plate

Unit: 1pcs




Panic lock, square



Item no.: 14925102600  
Description: 60mm, PZ 72mm, w/strike plate

Unit: 1pcs




WC lock, round



Item no.: 14921202600  
Description: 60mm, 78/8, w/strong spring + strike plate

Unit: 1pcs




WC lock, square



Item no.: 14921302600  
Description: 60mm, 78/8, w/strong spring + strike plate

Unit: 1pcs




Sash lock, round



Item no.: 14921002600  
Description: 60mm, PZ 72mm, w/strong spring + strike plate

Unit: 1pcs




Sash lock, square



Item no.: 14921102600  
Description: 60mm, PZ 72mm, w/strong spring + strike plate

Unit: 1pcs




Sash lock, narrow




Item no.: 14921102030  
14921102031  
Description: 30mm, KA 92mm  
Strike plate f/narrow sash lock

Unit: 1pcs  
1pcs




Narrow hook bolt lock



Item no.: 14906302300  
Description: 30mm, reversable, square, w/strike

Unit: 1pcs


Rollerbolt lock



Item no.: 14923102600  
Description: 60mm, PZ 72mm, w/strong spring + strike plate

Unit: 1pcs


Round butt hinge



Item no.: 14500302000  
Description: 102x35x3mm

Unit: 1pcs

Square butt hinge



Item no.: 14500302001  
Description: 102x35x3mm

Unit: 1pcs



d line — Knud Holtscher collection

# Door closers


We have worked with leading door control experts because we believe that every one of a building's practical details should be a perfectly performing whole, so their unseen elements – however microscopic – should be of the very best quality and design.

This means we can provide a small programme of door closers, to meet the need of internal doors across the world.

The external design and finish has been created for d line by Knud Holscher, who designed our launch collection back in 1971. Like every d line product, these designs are minimal and enduring, handcrafted in superb quality materials to superb quality standards.


- Knud Holscher design
- dormakaba advanced technology (item 14539402003)
- AISI 316 stainless steel
- CE-certified (all); certifiere-certified (item 14539402003)
- Swift, simple installation

Sliding channel door closer




Item no.: 14539402003      Description: TS 92 B EN 1-4      Unit: 1pcs

Sliding channel door closer




Item no.: 14530602100      Description: EN 2-4 w/ cam action      Unit: 1pcs

Rack-and-pinion door closer



Item no.: 14530202000      Description: EN 2-5      Unit: 1pcs

Concealed door closer



Item no.: 14530802000      Description: EN 2-5 w/ rack-and-pinion      Unit: 1pcs





# Panic exit devices

Our panic hardware is designed to provide building occupants fast and easy egress in an emergency.



Our solutions conform with the highest industry standards, to provide safety and security in any given situation. The pieces are manufactured in the stainless steel AISI316 and comes with a 20-year guarantee on the stainless steel parts.

One point locking w/ PZ push bar





Item no.: 14512202004  
Description: 950mm  
Unit: 1set

One point locking w/ horizontal latch bar




Item no.: 14512202001  
Description: 950mm, 1 horizontal latch bar  
Unit: 1set

Two point locking w/ vertical latch bars



Item no.: 14512202002  
Description: 950mm, 2 vertical latch bars  
Unit: 1set

External locking attachment




Item no.: 14512202900  
Description: W/19mm U lever handle, w/o cylinder  
Unit: 1pcs

# Door stops

Our robust little family of wall- and floor-mounted door stops by Knud Holscher are all formed in AISI 316 stainless steel and tipped in strong black rubber.

The discreet, minimalist and simple design compliments both the modern and classic home. The door stops are manufactured in the highest quality stainless steel, requires low maintenance and comes with a 20-year guarantee on the steel parts. Each piece also comes with all the relevant screws and fixing accessories for correct installation.

Floor door stop turtle




Item no.: 14508002015  
14508002030

Description: Ø80x15(A)mm  
Ø80x30(A)mm

Unit: 1pcs  
1pcs

Floor door stop Ø40x22mm




Item no.: 14965000004

Description: Ø40x22mm

Unit: 1pcs

Floor door stop Ø40x40mm




Item no.: 14507002006

Description: Ø40x40mm, stainless steel body Ø14mm

Unit: 1pcs

Floor door stop w/magnet




Item no.: 14507502009

Description: Ø50x56mm, Stainless steel body Ø19mm


Unit: 1pcs

Floor door stop Ø70mm




Item no.: 14508002000  
Description: Ø70x30mm  
Unit: 1pcs

Wall door stop




Item no.: 14506002002  
14506002126  
Description: Ø14x70(A)mm  
Ø14x125(A)mm  
Unit: 1pcs  
1pcs

Wall door stop Ø20mm




Item no.: 14505502001  
Description: Ø20x31mm  
Unit: 1pcs

Wall door stop w/pin



Item no.: 14506502005  
14506502126  
Description: Ø14x70(A)mm  
Ø14x125(A)mm  
Unit: 1pcs  
1pcs

Wall door stop Ø14x21mm



Item no.: 14505002009  
Description: Ø14x21mm  
Unit: 1pcs






# Window handles & accessories

Everything stems from our first designs and the bend in the handle. Remaining true to our roots, we continue the d line curved iconography through our designs for everything, from handles to hooks, door pulls to window handles.


Staying true to our production principles, our Knud Hoslcher window handles are formed in AISI 316 stainless steel, and to show our faith in them, we offer a 20-year guarantee.

FF window handle w/ snap on cover




Item no.: 14542302038  
Description: 16FF, 90°/135°/180°, 30x65mm, CC43mm  
Unit: 1pcs

FFG window handle w/ snap on cover




Item no.: 14542402040  
Description: 16FFG, 90°/180°, high rose, 65x30mm, 7x7mm, L=45mm  
Unit: 1pcs

LF window handle w/ snap on cover




Item no.: 14541802020  
Description: 16LF, right hand, 22x65mm, CC43mm  
Unit: 1pcs  
14541802050  
Description: 16LF, left hand, 22x65mm, CC43mm  
Unit: 1pcs

LF window handle w/ solid rose




Item no.: 14541602021  
Description: 16LF, right hand, 22x65mm, CC43mm  
Unit: 1pcs  
14541602039  
Description: 16LF, left hand, 22x65mm, CC43mm  
Unit: 1pcs

L window handle w/ snap on cover




| Item no.:   | Description:   | Unit: |
|-------------|--|-------|
| 14540102800 | 14L (A), 22(B)x65(C)mm, CC43mm                             | 1pcs  |
| 14540102801 | 14L (A), 30(B)x65(C)mm, CC43mm                             | 1pcs  |
| 14541202000 | 16L (A), 22(B)x65(C)mm, CC43mm                             | 1pcs  |
| 14541202804 | 16L (A), 30(B)x65(C)mm, CC43mm                             | 1pcs  |
| 14542002027 | 16L (A), 90°/180°, 30(B)x65(C)mm, CC43mm                   | 1pcs  |
| 14542002035 | 16L (A), 90°/135°/180°, 30(B)x65(C)mm, CC43mm              | 1pcs  |
| 14542002040 | 16L (A), 90°/180°, high rose, 30(B)x65(C)mm, 7x7mm, L=45mm | 1pcs  |

T window handle w/ snap on cover




| Item no.:   | Description:            | Unit: |
|-------------|-------------------------|-------|
| 14544002000 | 16T, 22(A)x65mm, CC43mm | 1pcs  |
| 14544002806 | 16T, 30(A)x65mm, CC43mm | 1pcs  |

L window handle w/ solid rose



| Item no.:   | Description:             | Unit: |
|-------------|--------------------------|-------|
| 14540002000 | 14L (A), 22x65mm, CC43mm | 1pcs  |
| 14541102001 | 16L (A), 22x65mm, CC43mm | 1pcs  |

U window handle w/ snap on cover



| Item no.:   | Description:                                     | Unit: |
|-------------|--|-------|
| 14541402803 | 16U, 30x65mm, CC43mm                             | 1pcs  |
| 14542502020 | 16U, 90°/180°, 30x65mm, CC43mm                   | 1pcs  |
| 14542502038 | 16U, 90°/135°/180°, 30x65mm, CC43mm              | 1pcs  |
| 14542502040 | 16U, 90°/180°, high rose, 65x30mm, 7x7mm, L=45mm | 1pcs  |


## Window handles accessories

Spindle f/ window handle




| Item no.:   | Description:          | Unit: |
|-------------|-----------------------|-------|
| 14545492459 | 7(B)x7(B)x45(A)mm     | 1pcs  |
| 14545492505 | 7(B)x7(B)x50(A)mm     | 1pcs  |
| 14545492556 | 7(B)x7(B)x55(A)mm     | 1pcs  |
| 14545492653 | 7(B)x7(B)x65(A)mm     | 1pcs  |
| 14545492751 | 7(B)x7(B)x75(A)mm     | 1pcs  |
| 14545592453 | 7x7(B)/8x8(B)x45(A)mm | 1pcs  |
| 14545692407 | 8(B)x8(B)x40(A)mm     | 1pcs  |
| 14545692555 | 8(B)x8(B)x55(A)mm     | 1pcs  |

Oval base rose f/ window handle



| Item no.:   | Description:                            | Unit: |
|-------------|---|-------|
| 14975491511 | F/klik klak, stop 90°/180°, 7/8, A=45mm | 1pcs  |

Reduction bush




| Item no.:   | Description:               | Unit: |
|-------------|----------------------------|-------|
| 14545292078 | 7/8x33mm, f/ 7x7mm spindle | 1pcs  |



# Tools and fixing accessories


In their technical design, installation and maintenance of our products are key focuses, to meet the need of installers and clients, because we know the value of short installation times, while achieving precision.

For a swift and simple mounting, we offer a range of tools and fixing accessories that meet these high standards and principles.




Tools and fixing accessories


Fixing tool f/ threaded bolts (pig nose bolts)



|   |   |                       |
|---|---|-----------------------|
| Item no.:<br>14497192006<br>14497292001 | Description:<br>F/M8 thread<br>F/M10/M12 thread | Unit:<br>1pcs<br>1pcs |
|---|---|-----------------------|


Sectioned bolt






|  |   |                               |
|--|---|-------------------------------|
| Item no.:<br>14296174107<br>14298174750<br>14296174030 | Description:<br>M4(A)x110(B)mm, w/turn stop & bush<br>M5(A)x110(B)mm, w/turn stop<br>M4(A)x39(B)mm, pre-cut for 40mm doors,<br>w/turn stop & bush | Unit:<br>1pcs<br>1pcs<br>1pcs |
|--|---|-------------------------------|


Tool f/ dismantling snap on covers



|                          |  |               |
|--------------------------|--|---------------|
| Item no.:<br>14293002002 | Description:<br>W/ ball bearing fixing | Unit:<br>1pcs |
|--------------------------|--|---------------|


Grub screw






|   |   |                       |
|---|---|-----------------------|
| Item no.:<br>14970102016<br>14970102019 | Description:<br>M5(B)x6,8(A)mm, f/ 14/16mm lever handles<br>M5(B)x8,3(A)mm, f/ 19mm lever handles | Unit:<br>1pcs<br>1pcs |
|---|---|-----------------------|


Self tapping screw






|   |   |                       |
|---|---|-----------------------|
| Item no.:<br>14295102200<br>14295102260 | Description:<br>Ø4,2x9,5(A)mm, torx<br>Ø4,2x16(A)mm, torx | Unit:<br>1pcs<br>1pcs |
|---|---|-----------------------|

Torx tool kit




|                          |   |                       |
|--------------------------|---|-----------------------|
| Item no.:<br>14976700105 | Description:<br>Screwdriver and TX10 bits | Unit:<br>1pcs<br>1pcs |
|--------------------------|---|-----------------------|

Drilling tool f/ wooden doors



|   |  |                       |
|---|--|-----------------------|
| Item no.:<br>14292500107<br>14292500204 | Description:<br>F/Ø40, 7-20mm, w/8/4,5mm<br>guide pivot, CC30mm<br>F/Ø40, 20-40mm, w/8/4,5 mm<br>guide pivot, CC30mm | Unit:<br>1pcs<br>1pcs |
|---|--|-----------------------|

Fixing tool f/ ball bearing



|   |                            |                       |
|---|----------------------------|-----------------------|
| Item no.:<br>14293500089<br>14293500097 | Description:<br>8mm<br>9mm | Unit:<br>1pcs<br>1pcs |
|---|----------------------------|-----------------------|

# Project:



**Architect**  
Marks Barfield  
Architects

**Location**  
Cambridge,  
United Kingdom

**Year**  
2019

**Amenities**  
Atrium Cafe Teaching  
Prayer Hall  
Portico  
Ablutions  
Community Garden  
Islamic Garden

St. Catherine's  
College  
Charlottetårnet  
Private residence  
Grace Farms  
Cambridge Central  
Mosque  
SAS Royal Hotel  
Brudey Sneakers  
Family



# Project:

“We didn’t want to create a replica or pastiche of something that existed elsewhere. The opportunity to do something English, British, excited us. Now that there is a significant Muslim community it’s time to work out what it means to have an English mosque.”

– David Marks



# Cambridge Central Mosque


The Cambridge Central Mosque is an extraordinary building that fuses traditional and modern architecture. The thought behind it was to create a British mosque for the 21st century, and the architects found inspiration in both Islamic and English religious architectural traditions. Marks Barfield Architects won the competition to design the building in 2009, and their concept was to create a calm oasis with a lot of green areas.

The mosque also strives to be as green as possible and sustainability was taken into consideration when this space was built. The large skylights in the roof of the building provides natural light all year round, and it is supplemented by low energy LED bulbs. There is also solar panels on the roof and heat pumps that create more energy than they use, to keep the carbon footprint as low as possible.

Within the building, d line products from the Knud Holscher collection has been used. The pull and lever handles in real satin brass finish is stunning against the mix of dark and light wood, that is dominant in the mosque. The Cambridge Central Mosque was also recently nominated for the RIBA Stirling Prize, together with six other buildings.



Project:




Realised in satin brass, these pulls will patinate beautifully to become uniquely special over time.



“I do not feel certain until I have confronted my initial solution with other solutions, although in fact the first solution often proves to be the right one”

– Arne Jacobsen




# Arne Jacobsen collection





For more than half the 20th century, the architect and designer Arne Jacobsen (1902-1971) was the driving force of Danish design and architecture. Today, over 50 years following his death, his work is still considered the epitome of Danish design, both within Denmark and by the world outside it.

## Iconic, timeless and classically elegant



**12404201030**  
Lever handle AJ97, small.  
polished brass

Although primarily an architect, Arne Jacobsen possessed a design ethos that saw a finished house as dependent on every detail within it being in place. This moved him into furniture, lighting, textiles and products, to achieve total realisations whose coherence today mark them as icons.

One of the most distinguished examples of this thinking is the SAS Royal Hotel in Copenhagen – now called the Radisson Blu Royal Hotel – which opened in 1960, and in which Jacobsen designed absolutely everything. This included several significant and now-celebrated pieces, from the Egg and Swan chairs to his straight-lined stainless steel cutlery to the d line Arne Jacobsen lever handle.

Jacobsen intuitively scanned the outer limitations of the form of an idea, its technology and its material, and this is

the unique approach that he applied to the lever handle, which was designed around the shape of a palm's grip. Fluid and flexible, it is as fitting in a corporate building as in a high-end condo, a residence, or in a resort.

The Arne Jacobsen Collection includes this handle, as well as the designer's simple thumb turns and toilet indicators.




# Hardware

The unique d line ball bearing system along with a 20-year product guarantee is a testament to the enduring design and strength of one of the most iconic lever handles in the world.

AJ97, small, is as standard designed for internal doors, whereas AJ111, large, is designed for external doors. However, both sizes are applicable for both internal and external use. Choose between our signature satin stainless steel, polished brass, or a variety of PVD and powder coated finishes.


Even across collections we ensure that the colours and finishes match. We grind and polish our products by hand 4 times to reach our satin brushed or polished signature finishes. For the Arne Jacobsen collection, we recommend that you pair the pieces with our Knud Holscher designed back plates, key escutcheons, cylinder escutcheons or any other complimentary hardware items for doors.

Lever handle AJ97, small w/ snap on cover




Item no.: 12404374001  
Description: Ø50mm, 8x8mm, CC30/38, 33-59mm  
Unit: 1set

Lever handle AJ97, small w/ solid rose




Item no.: 12404474030  
Description: Ø50mm, 8x8mm, CC30, 33-59mm  
Unit: 1set

Lever handle AJ97, small w/o rose




Item no.: 12404074011  
Description: 8x8mm, 33-59mm  
Unit: 1set

Lever handle AJ97, small f/ Salto electronic lock




Item no.: 12404074911  
Description: Lever handle set w/o rose f/ XS4 Original & One (lock not included)  
Unit: 1set

Lever handle AJ111, large w/ snap on cover




**Item no.:** 12405374003  
**Description:** Ø50mm, 8x8mm, CC30/38, 33-59mm  
**Unit:** 1set

Lever handle AJ111, large w/ solid rose




**Item no.:** 12405474030  
12405474038  
**Description:** Ø50mm, 8x8mm, CC30, 33-59mm  
Ø50mm, 8x8mm, CC38, 33-59mm  
**Unit:** 1set  
1set

Lever handle AJ111, large w/o rose




**Item no.:** 12405074011  
**Description:** 8x8mm, 33-59mm  
**Unit:** 1set

Lever handle AJ111, large f/ Salto electronic lock




**Item no.:** 12405074911  
**Description:** Lever handle set w/o rose f/ XS4 Original  
& One (lock not included)  
**Unit:** 1set

Thumb turn w/ solid rose




**Item no.:** 06191702130  
**Description:** Ø50mm, CC30mm, Assa  
**Unit:** 1pcs

Toilet indicator w/ solid rose




**Item no.:** 06203202030  
06203202202  
06203202038  
**Description:** 5V90, CC27mm, Boda  
5V90, CC30mm, Assa  
8L90, CC38mm, DIN  
**Unit:** 1set  
1set  
1set

Toilet indicator w/ snap on cover




**Item no.:** 06203202380  
**Description:** 8L90, CC38mm, DIN  
**Unit:** 1set

Lever handle AJ97, small w/ snap on cover – brass




**Item no.:** 12404101002  
**Description:** Ø50mm, 8x8mm, CC30/38, 33-59mm  
**Unit:** 1set

Lever handle AJ97, small w/ solid rose – brass




**Item no.:** 12404201030  
12404201038  
**Description:** Ø50mm, 8x8mm, CC30, 33-59mm  
Ø50mm, 8x8mm, CC38, 33-59mm  
**Unit:** 1set  
1set

Lever handle AJ111, large w/ solid rose – brass




**Item no.:** 12405201030  
12405201038  
**Description:** Ø50mm, 8x8mm, CC30, 33-59mm  
Ø50mm, 8x8mm, CC38, 33-59mm  
**Unit:** 1set  
1set

Lever handle AJ111, large w/o rose – brass




**Item no.:** 12405501011  
**Description:** 8x8mm, 33-59mm  
**Unit:** 1set

Lever handle AJ97, small w/o rose – brass




**Item no.:** 12404001011  
**Description:** 8x8mm, 33-59mm  
**Unit:** 1set

Lever handle AJ111, large w/ snap on cover - brass




**Item no.:** 12405101004  
**Description:** Ø50mm, 8x8mm, CC30/38, 33-59mm  
**Unit:** 1set

Thumb turn w/ solid rose – brass



**Item no.:** 06191801131  
**Description:** Ø50mm, CC30mm, Assa  
**Unit:** 1pcs


Toilet indicator w/ snap on cover – brass



**Item no.:** 06203301380  
**Description:** 8L90, CC38mm, DIN  
**Unit:** 1set



Toilet indicator w/ solid rose – brass



| Item no.:   | Description:           | Unit: |
|-------------|------------------------|-------|
| 06203301090 | 5V90, CC27mm, Boda     | 1set  |
| 06203301207 | 5V90, CC30mm, Assa     | 1set  |
| 06203301038 | 8L90, CC38mm, 34-45 mm | 1set  |



d line ——— Arne Jacobsen collection

# Project:



**Architect**  
Arne Jacobsen

**Location**  
Copenhagen,  
Denmark

**Year**  
1960

**Amenities**  
Hotel rooms  
Bar  
Restaurant  
Gym  
Meeting rooms

St. Catherine's  
College  
Charlottetårnet  
Private residence  
Grace Farms  
Cambridge Central  
Mosque  
**SAS Royal Hotel**  
Brudey Sneakers  
Family



# Project:



# SAS Royal Hotel



In July 1960 the SAS Royal Hotel opened in Copenhagen as the world's first design hotel. Now known as the Radisson Blu Royal Hotel, it was the embodiment of Arne Jacobsen's whole-picture approach to architecture and design.



Jacobsen received the brief in 1955 from Scandinavian Airlines System (SAS) to build the first hotel of its kind and set Copenhagen up as the Nordic gateway for the new tourists travelling from America. The hotel was to act as a terminal in the city centre, with guests whisked direct from its cocktail lounge to Kastrup Airport in a mere 20 minutes.

The glassy horizontal box, topped with an 18-storey vertical one, was a tower of translucence that reflected and blended into the sky around it, somehow merging into its low-rise city home.

Jacobsen designed everything within the hotel's 22 floors – his hand was seen in furniture, carpets, curtains, wine glasses,

cutlery, signage and, of course, the timeless lever handles still made by d line. Today, only room 606 remains as it stood in 1960, and it has fully functioned as a guest room until recently.

The AJ lever handle endures too. The original pieces still remains in place in room 606 as well as in several of the bathrooms across the hotel.



Project:



Room 606 – and the SAS Royal Hotel itself – dates from 1960 and endures as a living homage to the age of quality.

d line has a phenomenal history, and we're honoured to be a part of its illustrious series of architectural design handles. Our brand principles also align very closely with d line's: the emphasis on quality, endurance, innovation and sustainability.

– Tom Dixon




# Tom Dixon collection







From left to right; the Fat lever handle in brass, stainless steel and electric blue.



d line — Tom Dixon collection

# Inflation, innovation, collaboration

Together with British designer Tom Dixon we've developed Fat, a line of architectural ironmongery pieces.


The collection comprises a lever handle, key escutcheon and thumb turn, as well as a door knocker, pull handles and door stop. Like the rest of the d line portfolio, each piece is minimalist enough to be timeless in its design, its beauty coming from its rounded profile and inflated silhouette, rather than from superfluous details. The pieces are enduringly crafted in the highly resilient AISI 316 stainless steel preferred by d line and enhanced by a tight edit of colour finishes for different expressions in aesthetics.

Tom Dixon describes door handles as having "a particularly difficult and hyper-functional set of challenges, because they've evolved rather than being designed." He observes that often designer handles are less functional than traditional ones, because a handle is something with which there's little

to be done to affect the aesthetic beyond what's come before. The challenge for him and his studio, therefore, has been the creation of something that functions well, yet looks distinctively different from what's already out there.

Having applied what Tom calls a 'fat edge' or 'fat profile' to several different objects in development at Tom Dixon Studio, the designer had already been using the word 'fat' to imply generosity and softness of form. So, with the studio's move into architectural ironmongery, and with the same 'inflation' process applied to a regular handle, the name again relates. The result lacks any trace of sharpness or angularity and is a collection of pumped-up pieces that are simply 'fatter' than the norm.






# Hardware

The Fat collection is available in charcoal, electric blue, polished brass, as well as satin stainless steel.

As with most of our products, this collection is sustainably produced in non-corrosive AISI 316 stainless steel, as the strongest, most hard wearing steel for these types of purposes. The pieces are also available in solid, polished brass that uniquely patinates over time.


Today our commitment to sustainability exists as a 20-year product guarantee, and a five-year guarantee on the colour finish. This commitment extends to responsible sourcing of our steel, to low-emission hand assembly and to a lean factory that never produces more than what is needed.

Fat lever handle




| Item no.:   | Description:   | Unit: |
|-------------|--|-------|
| 12900702001 | Ø70mm rose, pair, 8x8mm, CC30/38mm, 33-59mm, satin stainless steel | 1set  |
| 129007P4001 | Ø70mm rose, pair, 8x8mm, CC30/38mm, 33-59mm, PVD charcoal          | 1set  |
| 179007F1001 | Ø70mm rose, pair, 8x8mm, CC30/38mm, 33-59mm, electric blue         | 1set  |
| 15900701001 | Ø70mm rose, pair, 8x8mm, CC30/38mm, 33-59mm, polished brass        | 1set  |

Fat key escutcheon




| Item no.:   | Description:                                 | Unit: |
|-------------|--|-------|
| 12900102001 | Ø70x17.5mm, CC27/38mm, satin stainless steel | 1set  |
| 129001P4001 | Ø70x17.5mm, CC27/38mm, PVD charcoal          | 1set  |
| 179001F1001 | Ø70x17.5mm, CC27/38mm, electric blue         | 1set  |
| 15900101001 | Ø70x17.5mm, CC27/38mm, polished brass        | 1set  |

Fat toilet indicator




| Item no.:   | Description:                               | Unit: |
|-------------|--|-------|
| 12901202000 | 5V90, Ø70mm, CC30mm, satin stainless steel | 1set  |
| 129012P4000 | 5V90, Ø70mm, CC30mm, PVD charcoal          | 1set  |
| 179012F1000 | 5V90, Ø70mm, CC30mm, electric blue         | 1set  |
| 15901201000 | 5V90, Ø70mm, CC30mm, polished brass        | 1set  |
| 12901202101 | 8L90, Ø70mm, CC38mm, satin stainless steel | 1set  |
| 129012P4101 | 8L90, Ø70mm, CC38mm, PVD charcoal          | 1set  |
| 179012F1101 | 8L90, Ø70mm, CC38mm, electric blue         | 1set  |
| 15901201101 | 8L90, Ø70mm, CC38mm, polished brass        | 1set  |

Fat thumb turn




| Item no.:   | Description:                                | Unit: |
|-------------|---|-------|
| 12901302000 | Ø70mm, CC27/30/38 mm, satin stainless steel | 1pcs  |
| 129013P4000 | Ø70mm, CC27/30/38 mm, PVD charcoal          | 1pcs  |
| 179013F1000 | Ø70mm, CC27/30/38 mm, electric blue         | 1pcs  |
| 15901301000 | Ø70mm, CC27/30/38 mm, polished brass        | 1pcs  |

Fat door knocker




| Item no.:   | Description:                        | Unit: |
|-------------|-------------------------------------|-------|
| 12901102000 | 140x140x46mm, satin stainless steel | 1pcs  |
| 129011P4000 | 140x140x46mm, PVD charcoal          | 1pcs  |
| 179011F1000 | 140x140x46mm, electric blue         | 1pcs  |
| 15901101000 | 140x140x46mm, polished brass        | 1pcs  |

Fat door stop





| Item no.:   | Description:                             | Unit: |
|-------------|--|-------|
| 12901402000 | 65x65mm, f/ floor, satin stainless steel | 1pcs  |
| 129014P4000 | 65x65mm, f/ floor, PVD charcoal          | 1pcs  |
| 179014F1000 | 65x65mm, f/ floor, electric blue         | 1pcs  |
| 15901401000 | 65x65mm, f/ floor, polished brass        | 1pcs  |

Fat flush pull handle, oval




| Item no.:   | Description:                    | Unit: |
|-------------|---------------------------------|-------|
| 12901002100 | 140x70mm, satin stainless steel | 1pcs  |
| 129010P4100 | 140x70mm, PVD charcoal          | 1pcs  |
| 179010F1100 | 140x70mm, electric blue         | 1pcs  |
| 15901001100 | 140x70mm, polished brass        | 1pcs  |

Fat flush pull handle, round




| Item no.:   | Description:                 | Unit: |
|-------------|------------------------------|-------|
| 12901002000 | Ø70mm, satin stainless steel | 1pcs  |
| 129010P4000 | Ø70mm, PVD charcoal          | 1pcs  |
| 179010F1000 | Ø70mm, electric blue         | 1pcs  |
| 15901001000 | Ø70mm, polished brass        | 1pcs  |

Fat pull handle, small




| Item no.:   | Description:                            | Unit: |
|-------------|---|-------|
| 12900902070 | Ø35x70mm, thread, satin stainless steel | 1pcs  |
| 12900802070 | Ø35x70mm, bush, satin stainless steel   | 1pcs  |
| 129009P4070 | Ø35x70mm, thread, PVD charcoal          | 1pcs  |
| 129008P4070 | Ø35x70mm, bush, PVD charcoal            | 1pcs  |
| 179009F1070 | Ø35x70mm, thread, electric blue         | 1pcs  |
| 179008F1070 | Ø35x70mm, bush, electric blue           | 1pcs  |
| 15900901070 | Ø35x70mm, thread, polished brass        | 1pcs  |
| 15900801070 | Ø35x70mm, bush, polished brass          | 1pcs  |

Fat pull handle, medium



| Item no.:   | Description:                             | Unit: |
|-------------|--|-------|
| 12900902140 | Ø35x140mm, thread, satin stainless steel | 1pcs  |
| 12900802140 | Ø35x140mm, bush, satin stainless steel   | 1pcs  |
| 129009P4140 | Ø35x140mm, thread, PVD charcoal          | 1pcs  |
| 129008P4140 | Ø35x140mm, bush, PVD charcoal            | 1pcs  |
| 179009F1140 | Ø35x140mm, thread, electric blue         | 1pcs  |
| 179008F1140 | Ø35x140mm, bush, electric blue           | 1pcs  |
| 15900901140 | Ø35x140mm, thread, polished brass        | 1pcs  |
| 15900801140 | Ø35x140mm, bush, polished brass          | 1pcs  |



Fat pull handle, large



| Item no.:   | Description:                             | Unit: |
|-------------|--|-------|
| 12900902210 | Ø35x210mm, thread, satin stainless steel | 1pcs  |
| 12900802210 | Ø35x210mm, bush, satin stainless steel   | 1pcs  |
| 129009P4210 | Ø35x210mm, thread, PVD charcoal          | 1pcs  |
| 129008P4210 | Ø35x210mm, bush, PVD charcoal            | 1pcs  |
| 179009F1210 | Ø35x210mm, thread, electric blue         | 1pcs  |
| 179008F1210 | Ø35x210mm, bush, electric blue           | 1pcs  |
| 15900901210 | Ø35x210mm, thread, polished brass        | 1pcs  |
| 15900801210 | Ø35x210mm, bush, polished brass          | 1pcs  |





Fat cylinder escutcheon w/ PZ hole



| Item no.:   | Description:  | Unit: |
|-------------|---|-------|
| 12900302060 | Internal, 6mm(A), Ø70mm, CC38, satin stainless steel  | 1pcs  |
| 129003P4060 | Internal, 6mm(A), Ø70mm, CC38, PVD charcoal           | 1pcs  |
| 179003F1060 | Internal, 6mm(A), Ø70mm, CC38, electric blue          | 1pcs  |
| 15900301060 | Internal, 6mm(A), Ø70mm, CC38, polished brass         | 1pcs  |
| 12900302080 | Internal, 8mm(A), Ø70mm, CC38, satin stainless steel  | 1pcs  |
| 129003P4080 | Internal, 8mm(A), Ø70mm, CC38, PVD charcoal           | 1pcs  |
| 179003F1080 | Internal, 8mm(A), Ø70mm, CC38, electric blue          | 1pcs  |
| 15900301080 | Internal, 8mm(A), Ø70mm, CC38, polished brass         | 1pcs  |
| 12900602080 | External, 8mm(A), Ø70mm, CC38, satin stainless steel  | 1pcs  |
| 129006P4080 | External, 8mm(A), Ø70mm, CC38, PVD charcoal           | 1pcs  |
| 179006F1080 | External, 8mm(A), Ø70mm, CC38, electric blue          | 1pcs  |
| 15900601080 | External, 8mm(A), Ø70mm, CC38, polished brass         | 1pcs  |
| 12900602110 | External, 11mm(A), Ø70mm, CC38, satin stainless steel | 1pcs  |
| 129006P4110 | External, 11mm(A), Ø70mm, CC38, PVD charcoal          | 1pcs  |
| 179006F1110 | External, 11mm(A), Ø70mm, CC38, electric blue         | 1pcs  |
| 15900601110 | External, 11mm(A), Ø70mm, CC38, polished brass        | 1pcs  |

Fat cylinder escutcheon w/ oval hole



| Item no.:   | Description:  | Unit: |
|-------------|---|-------|
| 12900202080 | Internal, 8mm(A), Ø70mm, CC30, satin stainless steel  | 1pcs  |
| 129002P4080 | Internal, 8mm(A), Ø70mm, CC30, PVD charcoal           | 1pcs  |
| 179002F1080 | Internal, 8mm(A), Ø70mm, CC30, electric blue          | 1pcs  |
| 15900201080 | Internal, 8mm(A), Ø70mm, CC30, polished brass         | 1pcs  |
| 12900502060 | External, 6mm(A), Ø70mm, CC30, satin stainless steel  | 1pcs  |
| 129005P4060 | External, 6mm(A), Ø70mm, CC30, PVD charcoal           | 1pcs  |
| 179005F1060 | External, 6mm(A), Ø70mm, CC30, electric blue          | 1pcs  |
| 15900501060 | External, 6mm(A), Ø70mm, CC30, polished brass         | 1pcs  |
| 12900502080 | External, 8mm(A), Ø70mm, CC30, satin stainless steel  | 1pcs  |
| 129005P4080 | External, 8mm(A), Ø70mm, CC30, PVD charcoal           | 1pcs  |
| 179005F1080 | External, 8mm(A), Ø70mm, CC30, electric blue          | 1pcs  |
| 15900501080 | External, 8mm(A), Ø70mm, CC30, polished brass         | 1pcs  |
| 12900502110 | External, 11mm(A), Ø70mm, CC30, satin stainless steel | 1pcs  |
| 129005P4110 | External, 11mm(A), Ø70mm, CC30, PVD charcoal          | 1pcs  |
| 179005F1110 | External, 11mm(A), Ø70mm, CC30, electric blue         | 1pcs  |
| 15900501110 | External, 11mm(A), Ø70mm, CC30, polished brass        | 1pcs  |
| 12900502130 | External, 13mm(A), Ø70mm, CC30, satin stainless steel | 1pcs  |
| 129005P4130 | External, 13mm(A), Ø70mm, CC30, PVD charcoal          | 1pcs  |
| 179005F1130 | External, 13mm(A), Ø70mm, CC30, electric blue         | 1pcs  |
| 15900501130 | External, 13mm(A), Ø70mm, CC30, polished brass        | 1pcs  |
| 12900502160 | External, 16mm(A), Ø70mm, CC30, satin stainless steel | 1pcs  |
| 129005P4160 | External, 16mm(A), Ø70mm, CC30, PVD charcoal          | 1pcs  |
| 179005F1160 | External, 16mm(A), Ø70mm, CC30, electric blue         | 1pcs  |
| 15900501160 | External, 16mm(A), Ø70mm, CC30, polished brass        | 1pcs  |
| 12900502180 | External, 18mm(A), Ø70mm, CC30, satin stainless steel | 1pcs  |
| 129005P4180 | External, 18mm(A), Ø70mm, CC30, PVD charcoal          | 1pcs  |
| 179005F1180 | External, 18mm(A), Ø70mm, CC30, electric blue         | 1pcs  |
| 15900501180 | External, 18mm(A), Ø70mm, CC30, polished brass        | 1pcs  |
| 12900502210 | External, 21mm(A), Ø70mm, CC30, satin stainless steel | 1pcs  |
| 129005P4210 | External, 21mm(A), Ø70mm, CC30, PVD charcoal          | 1pcs  |
| 179005F1210 | External, 21mm(A), Ø70mm, CC30, electric blue         | 1pcs  |
| 15900501210 | External, 21mm(A), Ø70mm, CC30, polished brass        | 1pcs  |



# Project:



**Interior designer**  
Détail Studio

**Location**  
Angoulême, France

**Year**  
2021

**Amenities**  
Concept store

St. Catherine's  
College  
Charlottetårnet  
Private residence  
Grace Farms  
Cambridge Central  
Mosque  
SAS Royal Hotel  
Brudey Sneakers  
Family



# Project:

The electric blue lever handle from the Fat collection is an impeccable detail on the mirrored doors in the shop, and the radiant colour creates a fantastic contrast together with the overall neutral colour palette.



# Brudey Sneakers Family

## Futuristic shapes with a touch of electric blue

In the small french village of Angoulême, France the newly opened concept store Brudey Sneakers Family, can be found. The store is completely dedicated to sneakers, where they offer limited edition collections and exclusive models.

The selection of sneakers is just as impressive as the stores interior design; futuristic minimalism with curved lines and rounded shapes. Electric blue is the theme throughout the entire space, and the doors are adorned with the Fat lever handle in the same colour from the Tom Dixon collection.

Interior designer Etienne Richon from Détail Studio is the man behind this astonishing project. The biggest challenge he faced during this project, was to create a unique place that insinuated the feeling of being in space, but at the same time emphasized the shoe collection in the best possible way.



# Maintenance guide

Amplified hygiene has become an even greater factor when designing for the future. In d line we use the highest quality stainless steel because of its unparalleled performance in maintenance and hygiene.

To sustain the unique d line finish whilst maintaining high levels of hygiene, please follow the below instructions.

**Maintaining stainless steel and brass**

- Products must always be cleaned along the structure (grinding/polishing direction), not across.
- A clean dust and grit-free cloth should be used to avoid scratching.
- Fingerprints, residue and other marks may be cleaned with soapy water or environmentally friendly detergent with a soft cloth or piece of suede.
- Always rinse off thoroughly with clean water.
- To complete the cleaning procedure dry/polish the surfaces with a soft dry cloth.
- To achieve a more authentic 'aged' look of the brass product, avoid frequent polishing, and when polishing apply pressure only to the raised surfaces (brass will change its look over time).

**Do not use**

- Do not use scouring powder, because it may scratch the surface.
- Do not use cleaners containing chlorides (especially hydrochloric acid) or other aggressive cleaning products to clean stainless steel surfaces. If such products are accidentally used, wash the surface with fresh water and clean with special cleaners removing oxides and other compounds.
- Do not use cleaning agents used for cleaning silver.
- Do not use rough and abrasive materials like steel wool.

**Maintaining powder coated stainless steel**

- Wipe dry with a soft dry cloth. Do not use abrasive cleaning pads.
- Avoid all abrasive and aggressive chemicals.
- Avoid ammoniated products.
- Avoid bleach.

**Maintaining PVD coated stainless steel**

- PVD coatings may fingerprint, this can be removed by washing in soap and water and dry.
- Coarse abrasives, files, or other hard objects must not be used against PVD coated stainless steel surfaces –the soft stainless steel may deform.
- If a softer metal, such as a ring or key marks the surface, it is most likely the soft metal residue that has been left on the coated surface. Clean off with soapy water or special mild detergent.

**Extra precaution; anti-bacterial coating**

For low traffic doors that requires extra precaution and attention when it comes to optimal hygiene, d line offers a special anti-bacterial coating on our stainless steel products.

X-BAC® is a patented additive system that effectively eliminates a wide range of bacteria, viruses and fungi within 2-3 hours, with already great effects on the reduction of bacteria after 30 minutes. The coating has been tested against a long list of micro-organisms and has a proven track record of maintaining extremely high levels of hygiene over a longer time period that exceeds normal industrial product lifecycles.

Due to the incubation phase from contact to elimination, it is still necessary to ensure continuous maintenance and cleaning of your products.

d line is available  
in 40-plus  
markets across  
the world

**d line – Denmark**  
Roskildevej 22  
2620 Albertslund  
Denmark  
  
T +45 72 17 01 38  
E info@dline.com

**d line – United Kingdom**  
17 Key Business Park  
Kingsbury Road  
Birmingham B24 9PT  
  
T +44 (0) 121 373 4488  
E uksales@dline.com

**d line – Lithuania**  
Basanaviciaus 44  
56133 Kaisiadorys  
Lithuania  
  
T +370 682 35431  
E service@dline.com

**d line – China**  
No. 200, Xingpu Road  
Suzhou Industrial Park  
China  
  
T +0086 512 65071015  
E service@dline.com

d line is available in 40-plus markets across the world, and we maintain close links with our distributors to ensure they always have the very latest details of our products, both new and existing. Because of this, we have total confidence that each of those distributors can completely support you and your

project with a full knowledge of our products and their possibilities.  
  
We have hundreds of distributors all over the world, the latest list of which is always available at [dline.com](http://dline.com)

We always name our collections after their designers, because without our designers, we simply wouldn't exist. And we work with more designers and architecture studios than what is represented in this book, including

Bjarke Ingels,  
Cubo,  
OneN,  
and more.


Explore the collections fully, via

[dline.com](http://dline.com)

**Item no.:**  
14708002005

**Description:**  
Paper dispenser  
Wall mounted, w/ lid, 285×300×123 mm  
Satin stainless steel AISI 316

**Collection:**  
Knud Holscher




**d line**





curated collections



d line

dline.com